RESEARCH ARTICLE

Open Access

Development of a theory-based HPV vaccine promotion comic book for East African adolescents in the US



Isabelle Celentano¹, Rachel L. Winer², Sou Hyun Jang³, Anisa Ibrahim⁴, Farah Bille Mohamed², John Lin², Fanaye Amsalu², Ahmed A. Ali⁵, Victoria M. Taylor⁶ and Linda K. Ko^{7*}

Abstract

Background: Human Papillomavirus (HPV) vaccine uptake is low among East African adolescents in the US. Adolescents' preferences influence HPV vaccine decisions, yet few interventions exist that address East African adolescents' beliefs about HPV vaccines. We describe a multi-step process on how to create a theory-based comic book by integrating empirical findings, theory and focus group data from East African parents in the US.

Methods: Our multi-methods process included conducting focus groups with Somali, Ethiopian, and Eritrean mothers (n = 30) to understand mothers and adolescents socio-cultural beliefs and information needs about the HPV vaccine, creating comic book messages integrating the focus group findings, and assessing the acceptability of the finalized comic book among Somali, Ethiopian, and Eritrean adolescents (n = 134).

Results: We identified categories around socio-cultural beliefs (such ethnic representation and concerns about pork gelatin in vaccines), HPV vaccine information needs, and diffusion of information. We then mapped the categories to theoretical constructs and operationalized them into the comic book. Finally, we describe the overall acceptability of the comic book and specifics on comic book structure, appeal of characters, and message relevance.

Conclusions: A rigorous multi-step process that integrates theory and focus group data can help create culturally appropriate health messages that can educate and appeal to the community.

Keywords: HPV vaccine, Behavioral theory, Comic book, East African adolescents, East African parents

Background

Given their appeal to educate and entertain at the same time, graphic novels or comic books have emerged as an effective health communication tool to promote behavior change [1]. Unlike text-only information, comic books depict text with visceral visual messages that enhance content understanding, facilitate connections between present knowledge and new information, and improve information recall [2, 3]. Given their wide appeal for children and adolescents, comic books have emerged as a preferred health communication tool for educating young audiences on public health issues in the US and other countries. Comic books have been reported to improve children's knowledge and behaviors about back pain, burn safety, smoking cessation, nutrition and physical activity, and human papillomavirus (HPV) vaccine uptake [4–8].

In the US, routine HPV vaccination is recommended at age 11–12 years, with catch-up vaccination recommended through age 26 for anyone who has not been previously vaccinated [9]. Despite public health efforts,

Full list of author information is available at the end of the article



© The Author(s). 2021 **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

^{*} Correspondence: lindako@uw.edu

⁷Department of Health Services, University of Washington and Division of Public Health Science, Fred Hutchinson Cancer Research Center, Hans Rosling Center for Public Health, 3980 15th Avenue NE, UW Mailbox 351621, Seattle, WA 98195, USA

Celentano et al. BMC Public Health (2021) 21:1137 Page 2 of 12

Table 1 Scenes and story line

Scene	Story line	
Scene 1	The comic book follows an adolescent female main character (MC). Her health teacher invites a local doctor to talk about HPV and HPV vaccine to her class. The doctor tells the class that HPV is so common that almost everyone will be infected at some point – the scary part is they may never know, and it can cause cancer. The doctor urges students to get vaccinated for HPV.	
Scene 2	After school ends, MC walks home with her friend who says that she got vaccinated for HPV a few weeks ago to prevent cancer. She mentions several other friends, both boys and girls, who got vaccinated. MC always disliked vaccination because she finds it painful. Her friend reminds her that it is a relatively easy pain compared to fighting cancer or even studying for their next math test.	
Scene 3	When MC arrives home, she asks her mother to talk to her doctor about the HPV vaccine at their next visit because she wants to get vaccinated. After her mother and grandmother learn about the benefit of the vaccine to prevent cancer, she agrees that it is a very good idea to get vaccinated and is very proud of her daughter's decision.	

HPV vaccine uptake is suboptimal. A recent paper on HPV vaccine initiation and completion among 13-17 year old across four racial/ethnic groups reveals disparities for vaccine initiation (76% in Hispanics, 64% in non-Hispanic Whites, 73% in non-Hispanic Blacks, and 65% in non-Hispanic Asians) and completion (57% in Hispanics, 48% in non-Hispanic Whites, 53% in non-Hispanic Blacks, and 53% in non-Hispanic Asians) [10]. HPV vaccine uptake among East African communities is particularly low and highly understudied. A small mixed methods study examining adolescent vaccine (Pertussis/ Tdap, Meningococcal/MCV4, and HPV) uptake among Somali, Ethiopian, Eritrean, and Hispanic mothers conducted in 2012 showed that none of 55 Somali mothers and only 8 out of 50 (16%) Ethiopian or Eritrean mothers reported vaccinating their children for HPV [11]. While more studies are needed to understand reasons for low HPV vaccine uptake in these communities, prior research in both Africa and in the US indicate that mistrust [12-14] and hesitancy for vaccines in general [15, 16], lack of awareness about HPV vaccine [11], and cultural beliefs about western medicine [17] contribute to suboptimal uptake.

Comic books may be a promising tool for communicating about HPV vaccines to East African adolescents. Parents, healthcare providers, and children all play a role in decisions to receive the HPV vaccine [11, 18-20]. While many interventions have focused on addressing parents' concerns about the HPV vaccine [21, 22] and engaging providers to make strong vaccine recommendations [23], less has been done to address children's concerns about the HPV vaccine. For East African communities, conversations between parents and children about HPV vaccination may be more sensitive as discussions can include information on sexual health, which is stigmatized in these communities [24, 25]. Comic books can be effective on addressing a sensitive topic with a light-hearted approach (compared to traditional print materials) as fictional characters embedded within a realistic setting such as families and institutions (school) can be portrayed in engaging in difficult conversations through humor, empathy, and other positive emotions [26].

While studies on comic books report using theory to develop the content of the story [4, 5], few, if any studies, have described the development process and how theory was integrated into the storyline. In this paper, we use the development of a HPV vaccine comic book for East African adolescents as a case study to illustrate such a process using the perspectives of parents and adolescents.

Methods

We developed a comic book as part of a multilevel communication intervention for adolescents, mothers, and healthcare providers to promote HPV vaccination among East African adolescents [27]. The comic book was designed to appeal to and be appropriate for 14-17-year-old adolescents. Our multi-step process included 1) review of the literature on perceptions of HPV vaccine and uptake among East African mothers and their adolescent children, 2) focus groups with East African mothers to understand the socio-cultural beliefs and information needs about the HPV vaccine, and 3) integration of the information from the literature, the focus group data, and behavior change theories to develop theory-based messages for the comic book story. We then assessed the acceptability of the comic book as well as specifics on comic book structure, character appeal, and message relevance among East African adolescents. The University of Washington Institutional Review Board approved this study.

Focus groups

We conducted focus groups with East African mothers in King County, Washington to inform the development of the larger multilevel communication intervention. The purpose of the focus groups was to understand mothers' socio-cultural beliefs and information needs about the HPV vaccine and to gather input on a comic book mockup developed by the research team (see below for more description). Detailed recruitment, data collection tool, and data collection strategies for the focus groups were described previously [17]. Briefly, we convened three focus groups of 9–11 women each (n = 30) in Somali, Amharic, and Tigrinya. Women were eligible

Celentano et al. BMC Public Health (2021) 21:1137 Page 3 of 12

to participate if they were fluent in Somali, Amharic, or Tigrinya and had at least one 11–17 year-old child (inclusive of both the lower end of the target age for HPV vaccination and the target age range for the comic book intervention) [9]. We used purposive sampling to recruit mothers based on self-reported HPV vaccination status of their children, including up to 3 mothers with vaccinated children in each group; the inclusion of mothers with vaccinated and unvaccinated children helped us learn about both anticipated and experienced barriers to and facilitators of HPV vaccination.

Comic book mock-up

A half-page storyline for the comic book was created by the research team. The story considered previous literature on vaccine barriers and facilitators [4, 28] and was informed by two behavioral theories: Health Belief Model (HBM) [29] and Theory of Reasoned Action (TRA) [30]. Bilingual research team members translated the storyline from English into Somali, Amharic, and Tigrinya. Table 1 presents the storyline for each scene, which was superimposed onto photos of adolescents that resembled members of the target communities. Images were obtained from health promotion materials and inventories of publicly available stock photos. The comic book mock-up was reviewed for cultural relevance by East African community members and our bilingual/bicultural research team.

Focus group data collection

The focus group moderator guide included questions on socio-cultural beliefs around HPV vaccines and specific questions about the comic book mock-up on storyline content, featured characters, overall graphic design, and cultural relevance of the comic book mock-up. Examples of questions about the mock-up included 'How clear was the information presented in the material?', 'What are your thoughts about the characters, the story, and the setting?', 'Should other family members be included as characters?', 'If so, who should be included?', and 'How do we make this material more culturally appropriate to your community and to the adolescents?' Focus group sessions were conducted in Somali, Amharic, or Tigrinya, audio recorded and translated from Somali, Amharic, or Tigrinya into English.

Focus group data analysis

Data analysis involved three steps. First, researchers met after each focus group, developed notes on key themes, and provided feedback to the moderator for the next focus group to clarify emerging themes. Second, two researchers independently reviewed each transcript and used inductive, constant comparison approach to identify concepts. Using an iterative process, the researchers

met biweekly to refine the codebook, adding, removing, and revising codes as needed to address inter-rater agreement and to compare new codes with existing codes. Third, we reached consensus around themes identified throughout the coding and analysis process. The data were organized using ATLAS.ti, version 7.

Message mapping

Message mapping was used to operationalize the inputs received on the HPV and HPV vaccine related messages presented in the mock-up during the focus group. Message mapping is a method that we developed to integrate literature review, our own focus group findings, and theory to create theory-based messages. The development of the message mapping method was informed by intervention mapping, a planning method that provides a system for integration of theory, empirical findings from the literature, and information collected from the target population [31] to develop culturally-appropriate and theoretically-sound interventions.

We reviewed the literature on strategies used to increase vaccine uptake for parents, healthcare providers, and children in general and specifically for East African communities. A summary of this review is beyond the scope of this paper. However, within the health behavior literature we found descriptions on theory-informed messages around HPV vaccine uptake developed with input from parents [4, 32]. Commonly used theories were HBM and TRA. Informed by this review, we created messages that align with six constructs of HBM (perceived susceptibility, severity, benefits, barriers, self-efficacy, and cues to action) and two constructs from TRA (behavioral intention and subjective norm). These messages were integrated into the mock-up presented during the focus group to assess message relevance and cultural appropriateness.

After the focus groups, messages were revised to include the input from the mothers. For example, the mock-up did not include information on pork gelatin (identified as a barrier for vaccine uptake during the Somali focus group), thus, this was added into the final comic book. Some messages, framed more generally in the mock-up, were revised to be specific; for example, the behavioral intention message "I plan to get the HPV vaccine now," was revised to "I know grandma. That's why I think I need to get it now." Another change included replacing the character who delivered the message. For example, the subjective norm message was originally delivered by the main character's mother as "You even told me that many of your friends have had the HPV vaccine shots," but after the focus group, the message was revised to be delivered by the main character's peers as "Oh yeah! I totally got vaccinated in the beginning of the school year. I know Ayan and Fatima also got vaccinated." The theoretical constructs, the message objectives and the final comic

Celentano et al. BMC Public Health (2021) 21:1137 Page 4 of 12

book messages are described in Table 2. The final comic book content was reviewed by the community partners before moving to production.

Acceptability of the comic book Recruitment

From October 2017 to September 2018, mothers and their adolescent children were recruited to participate in ethnolinguistic-centric educational dinners on HPV vaccination. Dinners included both an interactive educational forum intervention for mothers (to promote HPV vaccination in their 11-17-year-old children) and the comic book intervention for 14-17-year-old adolescent children. Dinners were held in Somali or Amharic only; no dinners were held in Tigrinyan due to insufficient staffing to support recruitment and data collection, and therefore we did not evaluate acceptability of the Eritrean comic book version. Mothers were eligible to participate if they spoke Somali or Amharic fluently or very well, had ≥1 child aged 11-17 years, and reported that all of their children were either unvaccinated against HPV or that they did not know if their children had been vaccinated. Mothers were invited to bring ≥1 child aged 14-17 years to participate in the comic book intervention if the child was able to speak and read English fluently or very well. Bilingual staff members recruited mothers face-to-face at community events. Our community partners also provided contact information for potential participants for telephone recruitment. The staff member explained the study in the woman's native language and collected children's age, gender, and HPV vaccination status. Additional demographic and immigration information were collected for participating women. Mothers provided written informed consent in their native language on behalf of themselves and their participating children. Children provided verbal assent.

At the events, mothers and adolescents ate dinner together before participating in separate educational activities on HPV vaccines. Mothers participated in an interactive native language presentation led by a bilingual co-ethnic health care provider, while adolescents read the comic book. Adolescents and their mothers each received \$25 for participating.

Data collection

Each participating child was given a copy of the comic book and asked to respond to four open-ended questions (Additional file 1) after reading the comic book: 1) adolescents' thoughts about the comic book in general, 2) what adolescents liked and did not like about the comic book, 3) their thoughts on whether other adolescents would like the comic book and why, and 4) what messages in the comic book were important to them.

Data analysis

The research team conducted content analysis, and excerpts were counted of the acceptability data. For the content analysis, two research team members independently reviewed each transcript to identify major categories and codes and created a tentative coding scheme. The researchers refined the coding scheme throughout data analysis. Discrepancies were resolved via reconciliation. Once the content analysis was completed, the research team counted the number of excerpts identified under the major categories and codes to calculate the frequency and the proportion of the excerpts.

Results

Demographics of the focus group participants

Participants' mean (standard deviation) age was 41.0 (5.6) years, and they had 9.5 (4.5) years of formal education. All mothers were born outside of the US; most

Table 2 Theory-based messages included in the comic book

Theoretical constructs	Message objective	Operationalized in the comic book	
Perceived susceptibility	Increase perceived susceptibility	"HPV is so common that almost everyone will be infected at some point." "Most people infected will never know."	
Perceived severity	Specify consequences of the risk and condition	" cause disease and trouble like cancer."	
Perceived benefits	Define action to take; clarify the expected positive effects	"The vaccine will protect you from cancer in the future." "so we will not get sick in the future from something we could have prevented." "It's an easy step that you can take now to prevent cancer in the future."	
Perceived barriers	Identify and reduce barriers through reassurance, incentives, assistance	"I've always hated shots because they hurt." "No grandma, the doctor said that it does not have pork gelatin."	
Cues to action	Provide how-to information; promote awareness; give reminders	"Talk to your parents, nurses, and doctors about the HPV vaccine."	
Self-efficacy	Provide training and guidance in performing action	" I am sure I can ask my parents to talk to my doctor about the HPV vaccine." " I am sure I can get the HPV vaccine."	

Celentano et al. BMC Public Health (2021) 21:1137 Page 5 of 12

were married (80%); some (20%) had at least one child between the ages of 11–17 who was vaccinated for HPV. Detailed demographic data have been previously reported [17].

Comments about the comic book mock-up

We identified four major themes on how to improve the comic book based on the mock-up. These include mothers' preferences on the comic book characters, information needs of mothers and adolescents, appeal of the messages to the mothers and the adolescents, how mothers perceived diffusion of information in their community, and the impact of social influence on adolescents' vaccine decisions (Table 3).

Comic book characters

Mothers across the focus groups reported that the comic book should include diverse characters, including girls and boys from different races and ethnicities, feature the main character to be from the community, and show families. Mothers indicated that the main characters should look like they are "from the community." Somali mothers had specific input on how the main character should look, saying girls should be "wearing hijab and dressed modestly." There was a consensus across the focus groups about the importance of showing families. However, conversations diverged when discussing which

family members to highlight. Somali mothers suggested grandmothers and fathers; however, Ethiopian mothers stated that the inclusion of mothers was sufficient, as shown in the mock-up. Discussing the storyline, an Ethiopian mother emphasized the central role mothers play in the family.

Here ... is Senait [the main character], Helen [character's friend], doctor, mother, and students. Mother means and represents the whole family, the doctor is here to tell what the vaccine is ... Senait is there to tell the information to her mother, what she heard from her friend...So, I don't think it is important to include additional people in the story.

Mothers across the focus groups also mentioned about the importance of including both boys and girls together in the story and responded positively to the exchange of information between boys and girls illustrated in the mock-up as being realistic. An Ethiopian mother said:

[pointing to the group picture], this is effective in showing that boys share information to girls and the girls share information to boys, and prevent themselves from the disease.

Table 3 Development of the comic book structure and content

Themes	Participant comment	Operationalized in the comic book		
Characters	Characters should look like the target population, and should be in appropriate, modest dress	Characters wearing hijab for Somali comic book and non-hijab wearing characters for Eritrean and Ethiopian comic books; names of the characters are from the community for all three comic books		
	 Include girls and boys as characters 	• Two boys in Scene 2		
	 Include a grandmother 	• A grandmother in Scene 3		
	 Mother represents the whole family 	Mother and grandmother in Scene 3		
HPV information	Include information about HPV knowledge	Spread through sexual contact		
	(transmission, symptoms, and consequences)Differentiate HPV from HIV	 Most won't know they are infected because there are no symptoms The types of cancer caused by HPV 		
		 A student mistakes HPV for HIV when asked in class, and doctor emphasizes the 'P' in HPV when written on the board 		
HPV vaccine information	• Include information about cancer prevention	 Grandma approves the vaccine and states that there were no such vaccines to prevent cancer when she was young 		
	Include information about early vaccination	 A doctor tells the students to get the vaccine now to prevent cancer later by comparing the HPV vaccine to putting on a seatbelt before driving 		
	Include information about side effects	 A doctor mentions common side effects of the vaccine, and that the vaccine has been shown to be safe from serious or long-term side effects 		
Social influence	• Friends play an influential role to each other	 Main character discusses the vaccine with her friends who have already been vaccinated and they encourage each other to discuss the vaccine with their parents. 		
	Adolescents get information from multiple sources, not just from parents	 HPV and HPV vaccine information is disseminated by a member of the health department (Scene 1), adolescents' peers (Scene 2), and family (Scene 3) 		

Celentano et al. BMC Public Health (2021) 21:1137 Page 6 of 12




Fig. 1 Description of the comic book characters (Image 2018; Author Isabelle Celentano). a. characters' page from the Ethiopian comic book b. characters' page from the Somali comic book

Information needs

Mothers expressed that they had a lack of information about HPV infection transmission, treatment, and prevention. Some mothers mentioned the importance of understanding the "risks and benefits" of the HPV vaccine in making vaccine decisions and stated that the mock-up captured these well. A Somali mother shared this sentiment by commenting on the storyline:

I think the message here is that when you explain something to someone, they'll understand it. The person [referring to the main character] was unsure before and thought it was a bad thing, and then ... when the benefits of the shot and the dangers of the disease were explained ... understood and was able to act on it and get the vaccine.

Message appeal

The mothers responded positively to the deep connection between "the girl and her mother" and their affective interaction in the storyline. Ethiopian mothers also identified with the humorous twist about the pain message, with mothers bursting out laughing when the focus group moderator read that section of the script (where the main character's

friend tells the main character that getting vaccinated is an easier pain compared to studying for their next math test). Mothers emphasized that "most of the time children talk about the pain" for vaccination and responded positively that the comic book addressed pain. An Ethiopian mother described how she anticipates her child's response to the message.

I am very happy and excited to see this [the story]. For me the story is very good, particularly talking about the pain. My child understands a message better when communicated this way than [when] I tell him.

Diffusion of information

Across all focus groups, mothers agreed that "schools play an important role" in teaching children about the HPV vaccine. Some mothers commented positively on the way the story represented HPV information diffusing from school to home - how the main character learned about the vaccine in school and used this information to engage her mother and grandmother. An Ethiopian mother said, "Like in the story our kids communicate what they hear from school." An Eritrean mother shared similar sentiments about the utility of schools to

Celentano et al. BMC Public Health (2021) 21:1137 Page 7 of 12



THE ADDITION ON THE PROPERTY OF THE STUDY ON THE PROPERTY ON T

Celentano et al. BMC Public Health (2021) 21:1137 Page 8 of 12

promote health information since school is where children spend most of their day.

Social influence

Across all focus groups, mothers discussed the influence that peers have on their children. Mothers stated that their children "listen," "feel comfortable," and "learn better" from their peers rather than from parents. They also mentioned that their children had more access to information as they are more assimilated to western culture. An Eritrean mother explained that these differences in acculturation can create parent-child communication challenges and discussed the importance of having peers educate one another.

Our children think we don't know and don't understand, and that is why they don't listen to our advice. They don't understand us. I really think that having young people close to their age talking to them would work best.

Mothers agreed that if their children get information from multiple sources, it helps validate what they have heard and enhances message persuasion. Across all focus groups, mothers thought children were exposed to information from school, peers, healthcare providers, and community centers; they recommended that this was portrayed in the comic book.

Production of the comic book

The suggestions from the focus groups were operationalized during production and included mothers' preferences for characters, information needs for HPV and HPV vaccine, and socio-cultural beliefs (Table 3). To address information needs, we embedded the theory-based messages (messages around perceived susceptibility, severity, benefits, and barriers) created in Table 2 into the storyline to educate and promote behavior change. Messages around subjective norms were integrated into the main character's interaction with her social environment.

The final story had three scenes (Table 1). After finalizing the script for each scene, we developed the storyboard using graphic frames and dialogues, laying out conversation breaks and flow for each image. First author, IC, then sketched a draft of the main characters, beginning with the Somali version of the comic book. Following discussions with the research team and community partners, IC developed several styles and versions of the characters, which were then reviewed by the team. Figure 1 shows the final "Meet the Characters" page for the Ethiopian (Fig. 1a) and Somali (Fig. 1b) versions of the comic book. The Eritrean version had the same images as the Ethiopian comic book, but the names of the characters were different and reflective of the community. All three versions of the comic book (Ethiopian, Eritrean, and Somali) had identical dialogue. The artist created character sketches in Adobe Photoshop and finalized the comic book layout and features in Adobe




Fig. 4 Illustrations depicting the storyline for scene 3 in the Somali comic book (Image 2018; Author Isabelle Celentano)

Celentano et al. BMC Public Health (2021) 21:1137 Page 9 of 12

Illustrator. Figures 2, 3 and 4 show illustrations from each of the three scenes of the Somali version of the comic book.

Demographics of the adolescents

A total of 136 adolescents participated in the dinners; 134 completed an acceptability question. The mean (standard deviation) age of the 134 adolescents was 15.1 (1.1) years. Most were Somali (90.4%), few were Ethiopian (9.6%), and just over half were girls (53.7%).

Acceptability of the comic book

Five major categories were identified including overall appeal of the comic book, structure, characters, story and content, and important messages. Most adolescents provided comments related to overall appeal (82.8%), story and content (71.6%), and important messages (73.1%), whereas fewer commented on the structure (42.5%) or characters (38.0%) (Table 4). Overall, the comic book appealed positively to most adolescents who

commented on this category (82.9%), with a few reporting neutral (7.2%) or negative (9.9%) responses. Comments about structure included positive responses to the graphics (29.8%) and ease of comprehension (38.6%). Adolescents who commented on the structure were evenly split about the length; half thought the length was appropriate, while the other half thought it was too long. Comments about the characters were mostly positive; respondents noted the ethnic representation (47.1%) and diversity of the characters (13.7%). A few adolescents reported that characters did not seem realistic (3 out of 20 who commented on this code), while the remaining 17 found the characters to be relatable. Comments around the story and content were all positive, with most of these responses noting the educational value of the story (97.9%), followed by humor appeal (35.4%) and the flow of information among peers (32.3%). Finally, adolescents who commented on important messages noted that these included information on the HPV vaccine and the importance of receiving HPV vaccination (83.7%),

Table 4 Comic book acceptability based on the survey comments ($N = 134^{\rm a}$)

Categories	n	% ^b	Example comments
Overall appeal (n = 111, 82	.8%)		
Positive	92	82.9	• I liked everything; it was very good reading.
Neutral	8	7.2	• I liked how the [comic book] explained it, but didn't like that the characters seem clueless
Negative	11	9.9	Horrible comic; I could've done better.
Comic book structure (n = 5	57, 42.5%)		
Images	17	29.8	• Illustration was beautiful, and I learned a lot.
Length	18	31.6	 Yes, because it's fun to read, and it's a short story and it explains a lot. I didn't like that they talked too much, and [it was] a lot of reading.
Comprehension	22	38.6	• It's easy to understand what is happening in this book, and HPV is different than HIV.
Characters (n = 51, 38.0%)			
Ethnic Representation	24	47.1	I liked the characters because you never see dark-skinned Muslims in comics.I like the Somali characters.
Diverse characters	7	13.7	• That Iman is thinking about HPV and talking to her mother and grandmother about [it].
Realistic/relatable	20	39.2	It shows people who are similar to them and can relate to it.I didn't think it was realistic the mom is easily convinced as well as the students.
Story and Content ($n = 96$,	71.6%)		
Education/information	92	95.8	• I thought it was nice, it taught me a lot about HPV [that] I didn't know.
Information sharing	31	32.3	• I like [that] the friends talk to each other about their vaccination.
Humor	34	35.4	• I liked how it was funny.
Important messages (n = 98	8, 73.1%)		
HPV	33	33.7	• HPV can lead to cancer.
HPV vaccine	82	83.7	Get yourself vaccinated before it's too late.
Perceived barriers	11	11.2	 To not be scared of needles. I liked how the book highlighted that the HPV vaccine doesn't have pork gelatin because I know I [would] get it [without] this barrier.
Social support	43	43.9	• It taught me to talk to my parents about HPV and how I could prevent from getting it.

^aTwo of the 136 adolescents who participated in the intervention did not complete the acceptability feedback form

^bThe denominator for each percentage is the number of adolescents who commented on the main theme

Celentano et al. BMC Public Health (2021) 21:1137 Page 10 of 12

seeking social support (e.g., how to talk with parents) (43.9%), and information about HPV and cancer (33.7%).

Discussion

This paper presents the process for developing and producing a theory-based HPV comic book for East African adolescents in the US. We used a multi-step process involving theories, review of the literature, and focus group data to understand socio-cultural beliefs around the HPV vaccine and participants' input on an HPV comic story mock-up. This process enabled us to identify "what" to communicate to adolescents to promote behavior change and "how" to communicate in a way that increases understanding and appeal for both mothers and adolescents.

Our study shows that input from mothers was informative for creating comic books that depict culturally appropriate graphics, realistic content, and that integrate humor appeal. Mothers across the focus groups helped us see the need for two different sets of graphic images with characters tailored to Somali, Ethiopian, and Eritrean communities to enhance cultural relevance. Given the stigmatization of sexual health in East African communities [24, 25], the focus groups with mothers ensured that the content of the comic book was "parent approved" prior to showing it to their children. The adolescents corroborated mothers' suggestions about ethnic representation and the rare experience of receiving a comic book with characters that resembled them. The use of characters that represent members of the community has been noted in the literature to help individuals connect with the characters [1, 33] and promote observational learning by increasing the credibility of the characters as role models [5, 34].

Mothers helped us realistically depict the relationship between peers, mothers and daughters, and the of information on HPV vaccination. exchange Mothers stated the importance of including both boys and girls in the comic book and the exchange of HPV information between them. This validates the literature that shows peers' influence [35] on behaviors that adolescents perceive having more control over [36]. Additionally, although past studies describing the flow of information between parents and their children were reported to be "top-down" [37, 38], studies among immigrant families have shown that children often have more access to information and understanding of available resources than their parents [38, 39] and that information flow is bidirectional between parents and children, corroborating the findings from our study.

Our findings show that pain is a notable children's concern that needs to be addressed in health education. Pain has been identified as a major barrier for children and adolescent vaccines [40]. In our comic

book, we addressed pain by introducing humor; a friend of the main character compares the pain of getting the HPV vaccine to the "pain" of studying for their next math test. This approach to pain resonated with mothers, who agreed that the storyline was a realistic depiction of their children's concerns. It also resonated with adolescents, where some noted humor as what they liked about the content. Humor is used for enhancing the resonance of health messaging, and they are effective when highlighting positive feelings and benefits of a health behavior [34]. In our study, it is possible that humor worked to both diffuse the concerns about pain and sexual stigma by promoting positive feelings of the benefits of HPV vaccine for cervical cancer prevention [34, 41].

A key strength of this study is its rigorous, multi-step approach used to create the comic book and assess its acceptability among East African adolescents. The multi-step process that we titled "message mapping" enabled us to integrate findings from focus groups, map these findings to theory, and create a comic book that addresses adolescents' concerns and simultaneously appeal to adolescents and their parents. Additionally, to our knowledge, this is the first HPV vaccine-focused health communication that uses a comic book for East African adolescents.

There are several limitations. First, this study relied on the input of East African mothers and did not include adolescents' input in the formative phase. This step was necessary to ensure that the content was approved by mothers before we presented it to their children. Children had the opportunity to provide input on the comic books after the comic books were developed. The second limitation is the lack of generalizability of our findings as this study is specific to the East African communities residing in the Seattle metropolitan area. Third, we were not able to evaluate the acceptability of the comic book among Eritrean adolescents and most participants were from the Somali community.

Conclusion

Promotion of HPV vaccine uptake among East African communities needs to consider adolescents' perspectives and concerns. Our study show that comic books are an innovative health communication medium that can educate adolescents on sensitive topics, in an entertaining way, while also appealing to parents. A rigorous multi-step process that integrates theory, empirical findings, and focus group data can help create health messages that are culturally appropriate to promote behavior change among East African communities.

Abbreviations

HPV: Human Papillomavirus; HBM: Health Belief Model

Celentano et al. BMC Public Health (2021) 21:1137 Page 11 of 12

Supplementary information

The online version contains supplementary material available at https://doi.org/10.1186/s12889-021-11005-2.

Additional file 1. Open ended questions directed at adolescents to capture acceptability of the comic book.

Acknowledgements

The authors would like to acknowledge Ms. Emily V. Brown for her helpful comments on an earlier draft of this article.

Authors' contributions

Authors RLW, VMT, and LKK contributed to the conceptualization, the design of the study, data analysis, and the interpretation of the data. Authors IC, SHJ, AI, FBM, JL, FA and AAA contributed to the data analysis and interpretation of the data. Authors IC, RLW, AI, FBM, JL, FA, AAA and LKK led the data collection activities. Authors IC, LKK, and RLW drafted the manuscript. All authors contributed to critical revision of the manuscript for important intellectual content. The author(s) read and approved the final manuscript.

Funding

This publication is a product of a Prevention Research Center supported by Cooperative Agreement Number 3U48DP005013-0357 from the Centers for Disease Control and Prevention. LKK was partially supported by the National Center for Advancing Translational Sciences of the National Institutes of Health Award Number UL1 TR002319. SHJ was supported by National Cancer Institute Award Number 5 T32 CA 92408–17. The content is solely the responsibility of the authors and does not necessarily represent the official views of the funders.

Availability of data and materials

Data files (including raw data) and materials pertaining to this publication are available upon request to the corresponding author, Linda K. Ko, at lindako@uw.edu

Declarations

Ethics approval and consent to participate

This study was approved by the Institutional Review Board (IRB) of the University of Washington. Informed consent (written) was obtained from mothers in their native language on behalf of themselves and their participating children.

Consent for publication

Not applicable. No details, images, or videos relating to individual participants are included in the manuscript.

Competing interests

The authors have no conflicts of interest to report.

Author details

¹Department of Health Services, University of Washington School of Public Health, 1959 NE Pacific Street, Magnuson Health Sciences Bldg., Box 357660, Seattle, WA 98195, USA. ²Department of Epidemiology, University of Washington, Box 359933, 325 9th Ave, Seattle, WA 98104, USA. ³Department of Sociology, Sungkyunkwan University, Seoul, South Korea. ⁴Department of Pediatrics, University of Washington, Harborview Medical Center, 325 9th Ave, Seattle, WA 98104, USA. ⁵Somali Health Board, 625 Strander Blvd Building, Tukwila, WA 98188, USA. ⁶Division of Public Health Sciences, Fred Hutchinson Cancer Research Center, 1100 Fairview Ave. N, M3-B232, Seattle, WA 98102, USA. ⁷Department of Health Services, University of Washington and Division of Public Health Science, Fred Hutchinson Cancer Research Center, Hans Rosling Center for Public Health, 3980 15th Avenue NE, UW Mailbox 351621, Seattle, WA 98195, USA.

Received: 1 October 2020 Accepted: 6 May 2021 Published online: 14 June 2021

References

- Singhal A, Rogers EM. A theoretical agenda for entertainment-education. Commun Theory. 2002;12:117–35.
- Carney RN, Levin JR. Pictorial illustrations still improve students' learning from text. Educ Psychol Rev. 2002;14(1):5–26. https://doi.org/10.1023/A:1 013176300260
- Green MJ, Myers KR. Graphic medicine: use of comics in medical education and patient care. Br Med J. 2010;340(mar03 2):c863. https://doi.org/10.1136/ hmir.863
- Katz ML, Oldach BR, Goodwin J, Reiter PL, Ruffin MT, Paskett ED. Development and initial feedback about a human papillomavirus (HPV) vaccine comic book for adolescents. J Cancer Educ. 2014;29(2):318–24. https://doi.org/10.1007/s13187-013-0604-8.
- Leung MM, Green MC, Tate DF, Cai J, Wyka K, Ammerman AS. Fight for your right to fruit: psychosocial outcomes of a manga comic promoting fruit consumption in middle-school youth. Health Commun. 2017;32(5):533–40. https://doi.org/10.1080/10410236.2016.1211074.
- Montgomery M, Manuelito B, Nass C, Chock T, Buchwald D. The native comic book project: native youth making comics and healthy decisions. J Cancer Educ. 2012;27(1):41–6. https://doi.org/10.1007/s13187-012-0311-x.
- Sinha I, Patel A, Kim FS, MacCorkle ML, Watkins JF. Comic books can educate children about burn safety in developing countries. J Burn Care Res. 2011;32(4):e112–e7. https://doi.org/10.1097/BCR.0b013e3182223c6f.
- Tarver T, Woodson D, Fechter N, Vanchiere J, Olmstadt W, Tudor C. A novel tool for health literacy: using comic books to combat childhood obesity. J Hosp Librariansh. 2016;16(2):152–9. https://doi.org/10.1080/15323269.2016.11 54768.
- Meites E, Szilagvi PG, Chesson HW, Unger ER, Romero JR, Markowitz LE. Human papillomavirus vaccination for adults: updated recommendations of the advisory committee on immunization practices. MMWR Morb Mortal Wkly Rep. 2019;68(32):698–702. https://doi.org/10.15585/mmwr.mm6832a3.
- Walker TY, Elam-Evans LD, Yankey D, et al. National, regional, state, and selected local area vaccination coverage among adolescents aged 13–17 years — United States, 2018. MMWR Morb Mortal Wkly Rep. 2019;68:718–23.
- Greenfield LS, Page LC, Kay M, Li-Vollmer M, Breuner CC, Duchin JS. Strategies for increasing adolescent immunizations in diverse ethnic communities. J Adolesc Health. 2015;56(5):S47–53. https://doi.org/10.1016/j. iadohealth.2014.10.274.
- Savelsberg PF, Ndonko FT, Schmidt-Ehry B. Sterilizing vaccines or the politics of the womb: retrospective study of a rumor in the Cameroon. Med Anthropol Q. 2000;14(2):159–79. https://doi.org/10.1525/maq.2000.14.2.159.
- Clements CJ, Greenough P, Shull D. How vaccine safety can become political - the example of polio in Nigeria. Curr Drug Saf. 2006;1(1):117–9. https://doi.org/10.2174/157488606775252575.
- Kaler A. Health interventions and the persistence of rumour: the circulation of sterility stories in African public health campaigns. Soc Sci Med. 2009; 68(9):1711–9. https://doi.org/10.1016/j.socscimed.2009.01.038.
- Christianson B, Sharif-Mohamed F, Heath J, Roddy M, Bahta L, Omar H, et al. Parental attitudes and decisions regarding MMR vaccination during an outbreak of measles among an undervaccinated Somali community in Minnesota. Vaccine. 2020;38(45):6979–84. https://doi.org/10.1016/j.vaccine.2 020.09.022.
- Wolf E, Rowhani-Rahbar A, Tasslimi A, Matheson J, DeBolt C. Parental country of birth and childhood vaccination uptake in Washington state. Pediatrics. 2016;138(1):e20154544. https://doi.org/10.1542/peds.2015-4544.
- Ko LK, Taylor VT, Mohamed FB, Do HH, Gebeyaw FA, Ibrahim A, et al. We brought our culture here with us: a qualitative study of perceptions of HPV vaccine and vaccine uptake among east African immigrant mothers. Papillomavirus Res. 2019;7:21–5. https://doi.org/10.1016/j.pvr.2 018.12.003.
- Dailey PM, Krieger JL. Communication and US-Somali immigrant human papillomavirus (HPV) vaccine decision-making. J Cancer Educ. 2017;32(3): 516–21. https://doi.org/10.1007/s13187-015-0959-0.
- Gowda C, Schaffer SE, Dombkowski KJ, Dempsey AF. Understanding attitudes toward adolescent vaccination and the decision-making dynamic among adolescents, parents and providers. BMC Public Health. 2012;12(1):1– 10.

Celentano et al. BMC Public Health (2021) 21:1137 Page 12 of 12

- Simmons RA, Cosgrove SC, Romney MC, Plumb JD, Brawer RO, Gonzalez ET, et al. Health literacy: cancer prevention strategies for early adults. Am J Prev Med. 2017;53(3):S73–S7. https://doi.org/10.1016/j.amepre.2017.03.016.
- Dempsey AF, Zimet GD, Davis RL, Koutsky L. Factors that are associated with parental acceptance of human papillomavirus vaccines: a randomized intervention study of written information about HPV. Pediatrics. 2006;117(5): 1486–93. https://doi.org/10.1542/peds.2005-1381.
- Farrell RM, Rome ES. Adolescents' access and consent to the human papillomavirus vaccine: a critical aspect for immunization success. Pediatrics. 2007;120(2):434–7. https://doi.org/10.1542/peds.2006-1692.
- Gilkey MB, Malo TL, Shah PD, Hall ME, Brewer NT. Quality of physician communication about human papillomavirus vaccine: findings from a national survey. Cancer Epidemiol Biomark Prev. 2015;24(11):1673–9. https://doi.org/10.1158/1055-9965.EPI-15-0326.
- Kebede MT, Hilden PK, Middelthon A. Negotiated silence: the management of the self as a moral subject in young Ethiopian women's discourse about sexuality. Sex Educ. 2014;14(6):666–78. https://doi.org/10.1080/14681811.2 014.924918.
- 25. Kingori C, Ice GH, Hassan Q, Elmi A, Perko E. 'If I went to my mom with that information, I'm dead': sexual health knowledge barriers among immigrant and refugee Somali young adults in Ohio. Ethn Health. 2018;23(3):339–52. https://doi.org/10.1080/13557858.2016.1263285.
- McNicol S. Humanizing illness: presenting health information in educational comics. Med Humanit. 2014;40(1):49–55. https://doi.org/10.1136/medhum-2 013-010469.
- McFadden SM, Ko LK, Shankar M, Ibrahim A, Berliner D, Lin J, et al. Development and evaluation of an online continuing education course to increase healthcare provider self-efficacy to make strong HPV vaccine recommendations to east African immigrant families. Tumour Virus Res. 2021;11:200214. Epub ahead of print. https://doi.org/10.1016/j.tvr.2021.2 00214.
- Bastani R, Glenn BA, Tsui J, Chang LC, Marchand EJ, Taylor VM, et al. Understanding suboptimal human papillomavirus vaccine uptake among ethnic minority girls. Cancer Epidemiol Biomark Prev. 2011;20(7):1463–72. https://doi.org/10.1158/1055-9965.EPI-11-0267.
- Champion VL, Skinner CS. The Health Belief Model. In: Rimer BK GK, Lewis FM, editors. Health Behavior and Health Education. Theory, Research and Practice. San Francisco: Jossey-Bass; 2002. p. 45–66.
- Montaño DE, Kasprzyk D. Reasoned action, planned behavior, and the integrated behavioral model. Health behavior and health education. Theory, research and practice. San Francisco: Jossey-Bass; 2002.
- Bartholomew LK, Parcel GS, Kok G, Gottlieb NH. Intervention mapping. Mountain View: Mayfield; 2001. p. 546.
- Shafer A, Cates JR, Diehl SJ, Hartmann M. Asking mom: formative research for an HPV vaccine campaign targeting mothers of adolescent girls. J Health Commun. 2011;16(9):988–1005. https://doi.org/10.1080/10810730.2 011.571343.
- Larkey L, Hecht M. A model of effects of narrative as culture-centric health promotion. J Health Commun. 2010;15(2):114–35. https://doi.org/10.1080/1 0810730903528017.
- Turner MM. Using emotional appeals in health messages. In: Cho H, editor. Health Communication Message Design: Theory and Practice. Thousand Oaks: Sage Publications; 2012. p. 59–71.
- Albert D, Chein J, Steinberg L. Peer influences on adolescent decision making. Curr Dir in Psychol Sci. 2013;22(2):114–20. https://doi.org/10.1177/ 0963721412471347.
- Chung SJ, Ersig AL, McCarthy AM. The influence of peers on diet and exercise among adolescents: a systematic review. J Pediatr Nurs. 2017;36: 44–56. https://doi.org/10.1016/j.pedn.2017.04.010.
- Evans D, Clark NM, Levison MJ, Levin B, Mellins RB. Can children teach their parents about asthma? Health Educ Behav. 2001;28(4):500–11. https://doi. org/10.1177/109019810102800409.
- Katz V. Children as brokers of their immigrant families' health-care connections. Soc Problems. 2014;61(2):194–215.
- Mosavel M, Simon C, van Stade D. The mother-daughter relationship: what is its potential as a locus for health promotion? Health Care Women Int. 2006;27(7):646–64. https://doi.org/10.1080/07399330600803790.
- Mills E, Jadad AR, Ross C, Wilson K. Systematic review of qualitative studies exploring parental beliefs and attitudes toward childhood vaccination identifies common barriers to vaccination. J Clin Epidemiol. 2005;58(11): 1081–8. https://doi.org/10.1016/j.jclinepi.2005.09.002.

 Moyer-Gusé E, Robinson MJ, Mcknight J. The role of humor in messaging about the MMR vaccine. J Health Commun. 2018;23(6):514–22. https://doi. org/10.1080/10810730.2018.1473533.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

