

RESEARCH

Open Access



COVID-19 impact on the psychological health of Latinx transgender and non-binary individuals in mainland United States and Puerto Rico: a mixed-methods study

Alíxida Ramos-Pibernus^{1*}, Sheilla Rodríguez-Madera², Ernesto Rosario-Hernández¹, Fabián Moreta-Ávila³, Julián Silva-Reteguis⁴ and Eliut Rivera-Segarra¹

Abstract

Background: The COVID-19 pandemic continues to generate an unprecedented impact on all aspects of everyday life across the world. However, those with historically and currently marginalized identities (i.e., gender or ethnicity) who already experience a wide range of structural inequities have been disproportionately impacted. LTNB are a particularly at-risk population as they lie at the intersection of race/ethnicity, gender identity, language, migration status, geographical location, among others, which could further increase their COVID-19 and other health-related risks and disparities. The objective of this study was to examine the impact of key social determinants of health (i.e., gender identity, country, health insurance, employment) among a sample of LTNB individuals.

Methods: The team implemented a cross-sectional exploratory design with an online survey technique using the secure web platforms REDcap and SurveyMonkey. A total of 133 participants completed the online survey. Most of the sample self-identified as transwomen (38.8%), transmen (26.3%), and non-binary (21.8%) between the ages of 21 to 72. All participants were Latinx living in either Puerto Rico (47.7%) or mainland United States (52.3%). Descriptive statistics, reliability tests, Mann-Whitney and rapid thematic analysis test were conducted.

Results: Findings show that most participants were always (38.1%) or almost always (33.3%) worried about contracting COVID-19. Individuals living in Puerto Rico reported more difficulties than those residing in the mainland US regarding COVID-19 impact on psychosocial, emotional, and COVID-related thinking. Most participants' answers for the COVID-19 open-ended questions focused on three main domains: income, access to trans-affirmative health care, and coping strategies.

Discussion: Findings evidence that although most of LTNB participants were negatively impacted by the COVID-19 pandemic in multiple aspects of their lives, those living in Puerto Rico experienced these differently when compared to those in mainland US. More research is needed to understand better the mechanisms and pathways through which this context specifically impacts LTNB health and wellbeing, particularly in Puerto Rico. This study could help

*Correspondence: aliram@psm.edu

¹ Ponce Health Sciences University, School of Behavioral and Brain Sciences, 92 Dr. Luis F. Sala, Ponce 00732, Puerto Rico

Full list of author information is available at the end of the article



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

shape the public health response taking into account the geographical location and other intersectional identities that play critical roles in the production and reproduction of inequities.

Keywords: Latinx trans and non-binary, COVID-19 pandemic, Puerto Rico, Trans health

Introduction

The COVID-19 pandemic continues to generate an unprecedented impact on all aspects of everyday life across the world. However, those with historically and currently marginalized identities (i.e., gender or ethnicity) who already experience a wide range of structural inequities have been disproportionately impacted [1]. Such is the case of transgender and non-binary individuals (TNB). Some significant challenges for TNB, particularly during the early stages of the COVID-19 pandemic, were the reduced access to gender-affirming care [2–4] and the delay in gender-affirming surgeries [5, 6], which were considered to be non-essential medical care as a result of the pandemic. This leads to increased psychosocial challenges and mental health problems such as persistent gender dysphoria [7].

Studies have consistently evidenced the increased burden of mental health disorders among sexual and gender minoritized individuals (SGM) [8, 9]. Following the Minority stress model gender minoritized groups experience increased stressors due to their minority status and the stigma a discrimination associated with it that severely impacts their mental health [10]. Pre-pandemic research found that SGM people of color, including Latinx individuals have higher rates of depression, anxiety and suicide attempts compared with cisgender peers [11, 12]. Moreover, a recent analysis of the Behavioral Risk Surveillance System from 2017 to 2019 found that TNB are more likely to report poor physical and mental health when compared with their cisgender peers [13]. The historic mental health disparities combined with the additional stressor imposed by the Covid-19 pandemic and the restrictive measures to control the pandemic could further impact the psychosocial wellbeing of TNB individuals [14].

Evidence shows the particularly detrimental psychosocial and emotional consequences of the COVID-19 pandemic for TNB, including increased unemployment and lack of secure housing [15], increased anxiety and depression [16], unmet mental health needs [17], increased use of alcohol [18], and higher prevalence of suicide thoughts [19, 20]. Some of these disparities can be explained by the social determinants of health influencing the health status of minoritized TNB individuals [15, 21]. Nevertheless, little is known about their impact among TNB with multiple marginalized intersecting identities, such as Latinx trans and non-binary individuals (LTNB).

LTNB are a particularly at-risk population as they lie at the intersection of race/ethnicity, gender identity, language, migration status, geographical location, among others, which could further increase their COVID-19 and other health-related risks and disparities [2, 22, 23]. For example, several studies have consistently found Latinxs to experience higher COVID-19 disease burden, transmission, positivity rates, and mortality than non-Latinxs [24–28]. However, there is still a scarcity of empirical studies examining the psychosocial impact of the pandemic, particularly among LTGNB individuals. The few available studies have only focused on transwomen [29] and sexual minority men [18]; have relied on reduced samples of Latinx individuals [15, 30], or are non-empirical commentaries [31]. This study fills this gap by focusing on a sample of LTNB individuals from mainland United States and Puerto Rico. The objective of this study was to examine the impact of key social determinants of health (i.e., gender identity, country, health insurance, employment) among a sample of LTNB individuals.

Methods

Procedures

This research is part of a larger study that examines barriers and facilitators for cancer screening among LTNB individuals. After obtaining Institutional Review Board (IRB) approval, the team implemented a cross-sectional exploratory design with an online survey technique using the secure web platforms REDcap and SurveyMonkey. Recruitment was conducted by availability between July 2020 and April 2021, during the first wave of the pandemic. The inclusion criteria were: (1) self-identify as trans, non-binary, or any other self-identifying term used to represent gender diversity; (2) 21 years of age (the age of adulthood in Puerto Rico) or older; and (3) Identify as Latinx. With the collaboration of key community researchers, members of the research team distributed the survey on social media platforms (Facebook, Instagram, Twitter), sent the link via email and text message, and distributed flyers with QR codes in LGBT centers and clinics. Participants received an Amazon card for \$25 as an incentive for completing the survey.

Participants

A total of 133 participants completed the online survey. Most of the sample self-identified as transwomen (38.8%), transmen (26.3%), and non-binary (21.8%) between the

ages of 21 to 72. In terms of sexual orientation 33.2% identified as heterosexual, followed by pansexual with 17.3%. All participants were Latinx living in either Puerto Rico (47.7%) or mainland United States (52.3%). Most of them were single (59.4%) at the time of the study, with a monthly income of less than USD 1500. Table 1 presents a more detailed description of the sample.

Measures

For the purpose of this manuscript, we present data regarding participants' COVID-19 experience. As part of our larger study, the investigators designed and administered an online survey which collected information about participants': 1) sociodemographic information; 2) COVID-related worries (1 item Likert scale ranging from "1" never to "5" always); and 3) impact of the COVID-19 pandemic on their transition/affirmation process (1 checklist item), and 4) social, emotional, and physical impact of the COVID-19 pandemic (comprised of 4 checklist items). Additionally, we included two open-ended questions to examine participants': 1) general experience regarding the COVID-19 pandemic and 2) specific COVID-19 pandemic-related coping strategies.

Data analysis

Descriptive statistics (mean, frequencies, and normality) and reliability tests were conducted. Considering the homogeneity of the sample and the low percentage of missing values (<0.4%), single imputation (mean substitution) was used to replace missing values with the mean for the entire series [32]. Scores deviated from a normality distribution. Therefore, the analyst proceeded to sum all selected checklist options per item (social, emotional, physical, covid related thinking and transition) in order to conduct a Mann-Whitney test to compare COVID-19 impact by country.

To examine the open-ended questions' qualitative data, the analyst implemented a rapid thematic analysis, a new innovative analytic technique that allowed to obtain targeted qualitative data in a shorter period [33, 34]. Responses were divided into three main areas related to 1) income and 2) access to gender-affirming care, and 3) coping strategies.

Results

Findings show that most participants were always (38.1%) or almost always (33.3%) worried about contracting COVID-19. In terms of social impact, participants reported loss of employment (31.6%) and loss of social support network (34.6%). More than half of the participants reported feeling stressed (76.7%), anxious (69.2%), and sad (63.3%). Half of them (50.4%) mentioned avoiding thinking about what might happen to prevent stress.

Table 1 Sociodemographic characteristics of participants

Demographic category	Freq. (%)
Assigned sex at birth	
Female	68 (51.1%)
Male	60 (45.1%)
Prefer not to answer	5 (3.8%)
Gender Identity ^a	
Woman	13 (9.8%)
Man	11 (8.3%)
Transwoman	45 (38.8%)
Transman	35 (26.3%)
Non-binary	29 (21.8%)
Sexual Orientation	
Heterosexual	43 (32.3%)
Homosexual	12 (9%)
Lesbian	8 (6%)
Bisexual	20 (15%)
Pansexual	23 (17.3%)
Other	18 (13.5%)
Prefer not to answer	9 (6.8%)
Country of residence	
Puerto Rico	63 (47.7%)
United States	69 (52.3%)
Marital Status	
Single	79 (59.4%)
Legally married	15 (11.3%)
Living together	30 (22.6%)
Divorced or separated	4 (3%)
Prefer not to answer	5 (3.8%)
Education	
Did not complete high school	12 (9%)
High School	9 (6.8%)
Some college	34 (25.6%)
Associate degree	23 (17.3%)
Bachelor's degree	37 (27.8%)
Graduate degree	12 (9%)
Prefer not to answer	6 (4.5%)
Employment (Check all that apply)	
Full-time job	53 (39.8%)
Part-time job	18 (13.5%)
Multiple jobs	14 (10.5%)
Unemployed	19 (14.3%)
Disability	2 (1.5%)
Monthly income	
\$0–\$100	28 (21.1%)
\$101–\$500	15 (12%)
\$501–\$1000	19 (14.3%)
\$1010–\$1500	18 (13.5%)
\$1501–\$2000	17 (12.8%)
More than \$2000	23 (17.3%)
I don't know or prefer not to answer	12 (9.1%)

n = 133

^a As described by participants

More than half of the participants (54.9%) recognized that their diet was affected. Finally, in terms of their gender affirmation/transition process, 36.4% admitted they had had difficulties with hormonal treatment follow-up. Detailed results can be found in Table 2.

Additionally, as seen in Table 3, results show that individuals living in Puerto Rico reported more difficulties than those residing in the mainland US regarding COVID-19 impact on psychosocial, emotional, and COVID-related thinking. In terms of their effect sizes, psychosocial and COVID-related

thinking impact have effect sizes considered to be small, although psychosocial was close to a medium effect size. However, emotional impact has a medium effect size [35].

Qualitative data

Most participants' answers for the COVID-19 open-ended questions focused on three main domains: income, access to trans-affirmative health care, and coping strategies. Table 4 presents sample quotes from each of the three identified themes.

Table 2 Frequency of Covid-19 experiences

Questions	Freq.	Percent
How frequently do you worried about contracting Covid-19		
Always	48	38.1%
Almost always	42	33.3%
Sometimes	26	20.6%
Almost never	9	7.1%
Never	1	.8%
<i>Social Impact</i>		
I have lost my employment	42	31.6%
I have lost my housing	12	9%
I have lost my social support network	46	34.6%
It has not impacted me	22	16.5%
<i>Emotional Impact</i>		
I have felt anxiety	92	69.2%
I have felt stress	102	76.7%
I have felt fear	78	58.6%
I have felt sadness	84	63.3%
I have felt hopelessness	72	54.1%
I have had changes in my sleeping patterns	72	54.1%
I have had changes in my appetite	51	38.3%
It has not affected me	8	6%
<i>Covid Related Thinking</i>		
I have nightmares or constant covid related thoughts	31	23.3%
I avoid thinking what might happen to avoid stress	67	50.4%
I am in a constant state of alert	57	42.9%
I have felt numbed or distant from what happens around me	30	22.6%
I have felt irritable	51	38.3%
<i>Physical Health Impact</i>		
I have lost my medical appointments	46	34.6%
I have not been able to do exercise	61	45.9%
My diet has been affected	73	54.9%
I have not been impacted	12	9%
<i>Transition Impact</i>		
I had to postpone a surgical procedure	24	18%
I have had difficulties with hormonal treatment follow-up	48	36.4%
It has not impacted me	43	32.2%

n = 133

Table 3 Comparison of impact indices LTNB individuals by country (Puerto Rico/United States) via Mann-Whitney tests

Impact Index	PR (n = 62) Mean Rank	US (n = 69) Mean Rank	Mann-Whitney's U	Z-value	p-value	Effect Size (r)
Psychosocial	75.85	57.15	1528*	-2.825*	.005	.25
Social	66.99	65.11	2077	-0.347	.728	.03
Emotional	78.80	54.50	1345*	-3.707*	<.001	.32
CovidRelated Thining	73.37	59.38	1682*	-2.195*	.028	.19
Physical	71.22	61.31	1815	-1.575	.115	.14
Transition	60.65	70.80	1807	-1.875	.061	.16

n = 131, *p < .05

Discussion

Findings evidence that although most of LTNB participants were negatively impacted by the COVID-19 pandemic in multiple aspects of their lives, those living in Puerto Rico experienced these differently when compared to those in mainland US. Similar to other studies, mental health challenges were identified, including increased worry about contracting COVID-19 [5, 15]. Moreover, feelings of stress, anxiety, sadness, and hopelessness were prevalent among the sample regarding the current pandemic. These findings show how the COVID-19 pandemic seem to be an additional stressor linked to mental health challenges [36]. This is an important aspect to consider when evaluation and providing care to TNB individuals, as studies have documented an increase burden of mental health disorders among this population [8, 13]. The additional stressors imposed by the covid-19 pandemic and in turn by the restrictive measures to control the pandemic could impose an even higher burden among this minoritized population [18].

In terms of social-related challenges, the loss of social support network was a key finding as a high percentage of

participants identified this as a salient difficulty. Previous research has evidenced that having a social support network is linked to community resilience/resistance [37]. Thus, lacking adequate social support networks could directly impact their wellbeing. An additional important finding was that almost a third of the sample lost their employment due to the pandemic. This is crucial as financial needs among this population have been extensively documented as a fundamental social determinant of health linked to the manifestation of oppression due to their gender and racial/ethnic identities and with detrimental consequences to their health and wellbeing [38, 39]. Taken together, quantitative, and qualitative findings suggest that the already precarious economic situation of LTNB seemed to be exacerbated by COVID-19.

Another area of concern was related to their trans-affirmative health care. Similar to other studies, participants identified difficulties related to their gender-affirming care, specifically delays in surgical procedures and follow-up of their hormonal treatment [2, 40]. Qualitative results also suggest that some participants postponed their hormone therapy, and others mentioned

Table 4 Rapid qualitative analysis sample quotes

Theme	Definition	Sample quotes
Income worries	Participants' descriptions about income challenges and worries due to the covid 19 pandemic.	<ol style="list-style-type: none"> 1. I'm spending all my savings 2. I have faced financial limitations because I am the breadwinner in my family, and it has been complicated to manage all the expenses 3. I would like the government to support us, the people who have lost their jobs and cannot generate income to pay the rent and other debts
Trans-affirmative health care	Participants' descriptions about difficulties and worries for accessing gender-affirming care.	<ol style="list-style-type: none"> 1. I had to postpone my initial appointment for hormone therapy 2. I have not been able to leave my home, so I have not seen a doctor or started the procedures 3. I missed my appointments, the medical orders expired, and wasn't able to get new ones from my doctor
Coping strategies	Participant's description of the ways in which they defy the challenges of COVID-19	<ol style="list-style-type: none"> 1. online social support groups, Reiki and religion 2. finding forms of distraction such as reading, watching movies, and virtual shows... 3. detach myself from the news a bit

their difficulties getting medical appointments or buying medication refills. This is particularly worrisome as reduced access to gender-affirming care has been linked to increasing mental health vulnerability, including increased suicide behaviors [7]. For example, Flaherty et al. [6] have argued for the need to prioritize gender-affirming care as urgent or time-sensitive during the COVID-19 pandemic. We support and extend the argument by highlighting the need to urgently and specifically consider LTNB individuals based on this study's findings.

Additionally, one of the main findings of this study is that participants living in Puerto Rico during the COVID-19 pandemic seemed to be experiencing more psychosocial and emotional challenges than those living in the mainland US. One potential explanation for this is the experience of constant stressors associated with the unstable social and political landscape in Puerto Rico during the past decade. For example, since 2008, Puerto Rico has experienced an economic recession, bankruptcy, austerity measures imposition, the ousting of a governor, the impact of two major hurricanes (Irma and María), and a swarm of earthquakes in 2020, all before the pandemic unfolded. This has led some researchers to posit that the main threat to Puerto Ricans living in the archipelago during the COVID-19 pandemic is precisely the context mentioned above [41–43]. These study findings suggest more research is needed to understand better the mechanisms and pathways through which this context specifically impacts LTNB health and wellbeing, particularly in Puerto Rico. Moreover, to eventually highlight the areas and systems that need to be put in place to create more sustainable & holistic support in benefit of these communities, during and post-pandemic times.

Finally, besides the identified challenges, findings also evidence specific strategies used by participants to resist and address the COVID-19 related challenges. For example, some of them engaged in entertainment activities, disconnected from the news, or engaged in alternative supporting networks and activities such as Reiki and religion. Recognizing the strengths and specific strategies used by LTNB individuals during challenging events such as the COVID-19 pandemic is key to tailoring targeted interventions, disaster preparedness, and fostering their health and wellbeing.

This study has several limitations. First, the survey was only conducted during the first wave of the COVID-19 pandemic. Thus, no follow-up information about the impact of the pandemic was gathered at a different point in time. Secondly, the study did not include standardized instruments to assess the mental health symptoms of participants as this was not part of the aims of the broader study. Data reported here regarding their mental health and social challenges were self-reported.

Finally, the sampling strategy used was by availability which limits the representative and generalizability of the findings.

Despite the limitations, this study highlights some of the challenges and experiences of LTNB individuals who are heavily neglected in the scientific literature. This study could help shape the public health response taking into account the geographical location and other intersectional identities that play critical roles in the production and reproduction of inequities. Moreover, this empirical study adds to the scarcity of literature documenting the specific experiences of Latinx trans and non-binary individuals. This is an important step towards documenting, understanding, and addressing specific stressors impacting ethnic minority groups such as Latinx/Hispanics.

Acknowledgements

The investigators want to thank all the Latinx trans and non-binary participants who supported the study and completed the survey. They also want to recognize the work of the research assistants (Coral Jiménez, Anaily Ocasio, Cristal Dedós, Stephanie Velar, and Dioselina Resto) and their support for the study.

Authors' contributions

ARP contributed to the conceptualization, supervision of data collection and analysis and drafted and review the initial version of the manuscript; ERS contributed to the conceptualization and revision of the manuscript; ERH conducted the quantitative data analysis and drafted the quantitative methods and results section; SRM conducted the qualitative analysis and drafted the results; FMA & JSR contributed to data collection and revision of manuscript. All authors read and approved the final manuscript.

Funding

This research was funded by National Cancer Institute under award 1R21CA233449. This publication was supported by the National Institute on Minority Health and Health Disparities under award U54MD007579. Dr. Rodríguez-Madera is funded by National Institute on Minority Health and Health Disparities under award 1R01MD014188 and National Institute on Aging under award 1R01MD014188. Dr. Rivera-Segarra is funded by the National Institute of Mental Health under award R34MH120179. Dr. Rivera-Segarra and Dr. Ramos-Pibernus are supported by the National Institutes on Minority Health and Health Disparities under award U54MD007579. The content is solely the responsibility of the authors and does not necessarily represent the official views of the National Institutes of Health or any other funding agency.

Availability of data and materials

As per our IRB protocol, the data used to develop this manuscript is not available. Any additional information can be requested by contacting the corresponding author Dr. Alixida Ramos-Pibernus at aliramos@psm.edu.

Declarations

Ethics approval and consent to participate

This study and all research activities were revised and approved by the Ponce Health Sciences University Institutional Review Board (#1903009446R001). All research activities were performed in accordance with the regulations protecting human subjects participating in research studies. All participants provided written informed consent prior to participating in the study and completing the survey.

Consent for publication

All the participants of the study provided written informed consent to publish the research findings of this study.

Competing interests

The authors declared no conflicts of interest.

Author details

¹Ponce Health Sciences University, School of Behavioral and Brain Sciences, 92 Dr. Luis F. Sala, Ponce 00732, Puerto Rico. ²Florida International University, Global and Sociocultural Studies, Miami, Florida, USA. ³Independent Researcher, California, United States. ⁴Independent Researcher, San Sebastian, Puerto Rico.

Received: 28 March 2022 Accepted: 12 October 2022

Published online: 04 November 2022

References

- Bowleg L. We're not all in this together: on COVID-19, intersectionality, and structural inequality. *Am J Public Health*. 2020;110(7):917–8.
- Jarrett BA, Peitzmeier SM, Restar A, Adamson T, Howell S, Baral S, et al. Gender-affirming care, mental health, and economic stability in the time of COVID-19: a multi-national, cross-sectional study of transgender and nonbinary people. *PLoS One*. 2021;16(7 July):1–17. Available from: <https://doi.org/10.1371/journal.pone.0254215>.
- Kidd SA, Veltman A, Gately C, Chan KJ, Cohen JN. Lesbian, gay, and transgender persons with severe mental illness: Negotiating wellness in the context of multiple sources of stigma. *Am J Psychiatr Rehabil*. 2011; [cited 2014 Oct 29];14(September 2015):13–39. Available from: <http://www.tandfonline.com/doi/abs/10.1080/15487768.2011.546277>.
- Banerjee D, Rao TSS. "The graying minority": lived experiences and psychosocial challenges of older transgender adults during the COVID-19 pandemic in India, a qualitative exploration. *Front Psychiatry*. 2021;11(January):1–12 Available from: <https://www.frontiersin.org/articles/10.3389/fpsy.2020.604472/full>.
- Jones BA, Bowe M, Mcnamara N, Guerin E, Carter T, Jones BA, et al. Exploring the mental health experiences of young trans and gender diverse people during the Covid-19 pandemic. *Int J Transgenderism*. 2021;0(0):1–13. Available from: <https://doi.org/10.1080/26895269.2021.1890301>.
- Flaherty AJ, Sharma A, Crosby DL, Nuara MJ. Should gender-affirming surgery be prioritized during the COVID-19 pandemic? *Otolaryngol Neck Surg*. 2020;163(6):1140–3 Available from: <http://journals.sagepub.com/doi/10.1177/0194599820939072>.
- van der Miesen AR, Raaijmakers D, van de Griff TC. "You have to wait a little longer": transgender (mental) Health at risk as a consequence of deferring gender-affirming treatments during COVID-19. *Arch Sex Behav*. 2020;49(5):1395–9. Available from: <https://doi.org/10.1007/s10508-020-01754-3>.
- Cicero EC, Reisner SL, Merwin EI, Humphreys JC, Silva SG. The health status of transgender and gender nonbinary adults in the United States. *PLoS One*. 2020;15(2):1–20. Available from: <https://doi.org/10.1371/journal.pone.0228765>.
- Price-Feeney M, Green AE, Dorison S. Understanding the mental Health of transgender and nonbinary youth. *J Adolesc Heal*. 2020;66(6):684–90. Available from: <https://doi.org/10.1016/j.jadohealth.2019.11.314>.
- Testa RJ, Habarth J, Peta J, Balsam K, Bockting WO. Development of the gender minority stress resilience measure. *Psychol Sex Orientat Gend Divers*. 2015;2(1):65–77.
- Russell ST, Fish JN. Mental Health in lesbian, gay, bisexual, and transgender (LGBT) youth. *Annu Rev Clin Psychol*. 2016;12(1):465–87 Available from: <https://www.annualreviews.org/doi/10.1146/annurev-clinpsy-021815-093153>.
- Rhodes SD, Mann-Jackson L, Alonzo J, Bell JC, Tanner AE, Martínez O, et al. In: Martínez AD, Rhodes SD, editors. *The Health and well-being of Latinx sexual and gender minorities in the USA: a call to action* BT - new and emerging issues in Latinx Health: Cham: springer international publishing; 2020. p. 217–36. Available from: https://doi.org/10.1007/978-3-030-24043-1_10.
- Pharr JR, Batra K. Physical and Mental Disabilities among the Gender-Diverse Population Using the Behavioral Risk Factor Surveillance System, BRFSS (2017–2019): A Propensity-Matched Analysis. *Healthcare*. 2021;9(10):1285 Available from: <https://www.mdpi.com/2227-9032/9/10/1285>.
- Harner V, Munion AK, Shelton J. Trans adults amidst the COVID-19 pandemic: quality of life, pandemic impact, and vaccine preferences. *Int J Environ Res Public Health*. 2021;18(23):12536. <https://doi.org/10.3390/ijerph182312536>.
- Smout SA, Wall CSJ, Mason KL, Stanford MK, O'Neill KA, Carrico MA, et al. An exploration of psychological distress, employment, and housing among transgender and gender diverse individuals during the COVID-19 pandemic. *Psychol Sex Orientat Gend Divers*. 2022; Available from: <http://doi.apa.org/getdoi.cfm?doi=10.1037/sgd0000555>.
- Gonzales G, Loret de Mola E, Gavulic KA, McKay T, Purcell C. Mental Health needs among lesbian, gay, bisexual, and transgender college students during the COVID-19 pandemic. *J Adolesc Heal*. 2020;67(5):645–8. Available from: <https://doi.org/10.1016/j.jadohealth.2020.08.006>.
- Hawke LD, Hayes E, Darnay K, Henderson J. Mental health among transgender and gender diverse youth: An exploration of effects during the COVID-19 pandemic. *Psychol Sex Orientat Gend Divers*. 2021;8(2):180–7 Available from: <http://doi.apa.org/getdoi.cfm?doi=10.1037/sgd0000467>.
- MacCarthy S, Izenberg M, Barreras JL, Brooks RA, Gonzalez A, Linnemayr S. Rapid mixed-methods assessment of COVID-19 impact on Latinx sexual minority men and Latinx transgender women. Newman PA, editor. *PLoS One*. 2020;15(12):e0244421. Available from: <https://doi.org/10.1371/journal.pone.0244421>.
- Herman JL, O'Neill K. Vulnerabilities to COVID-19 among transgender adults in the U.S. California; 2020. Available from: <https://williamsinstitute.law.ucla.edu/publications/transgender-covid-19-risk/>
- Zubizarreta D, Trinh M-H, Reisner SL. COVID-19 Risk and Resilience Among U.S. Transgender and Gender Diverse Populations. *Am J Prev Med*. 2021; Available from: <https://doi.org/10.1016/j.amepre.2021.07.017>.
- Sell RL, Krims EI. Structural transphobia, homophobia, and biphobia in Public Health practice: the example of COVID-19 surveillance. *Am J Public Health*. 2021;111(9):1620–6 Available from: <https://ajph.aphapublications.org/doi/full/10.2105/AJPH.2021.306277>.
- Cahill S, Grasso C, Keuroghlian A, Sciortino C, Mayer K. Sexual and gender minority Health in the COVID-19 pandemic: why data collection and combatting discrimination matter now more than ever. *Am J Public Health*. 2020;110(9):1360–1 Available from: <https://ajph.aphapublications.org/doi/full/10.2105/AJPH.2020.305829>.
- Gava G, Seracchioli R, Meriggiola MC. Telemedicine for endocrinological care of transgender subjects during COVID-19 pandemic. *Evid Based Ment Heal*. 2020;23(4):e1 Available from: <https://ebmh.bmj.com/lookup/doi/10.1136/ebmental-2020-300201>.
- Misa NY, Perez B, Basham K, Fisher-Hobson E, Butler B, King K, et al. Racial/ethnic disparities in COVID-19 disease burden & mortality among emergency department patients in a safety net health system. *Am J Emerg Med*. 2021;45(January):451–7 Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0735675720308457>.
- Riley AR, Chen Y-H, Matthey EC, Gilmour MM, Torres JM, Fernandez A, et al. Excess mortality among Latino people in California during the COVID-19 pandemic. *SSM Popul Heal*. 2021;15:100860. Available from: <https://doi.org/10.1016/j.ssmph.2021.100860>.
- Rodriguez-Diaz CE, Guilamo-Ramos V, Mena L, Hall E, Honermann B, Crowley JS, et al. Risk for COVID-19 infection and death among Latinos in the United States: examining heterogeneity in transmission dynamics. *Ann Epidemiol*. 2020;(July). Available from: <https://doi.org/10.1016/j.annepidem.2020.07.007>.
- Bernard VB, Royalty J, Saraiya M, Rockwell T, Helsel W. The effectiveness of targeting never or rarely screened women in a national cervical cancer screening program for underserved women. *Cancer Causes Control*. 2015;26(5):713–9 Available from: <http://link.springer.com/10.1007/s10552-015-0542-3>.
- Laurencin CT, Wu ZH, McClinton A, Grady JJ, Walker JM. Excess deaths among blacks and Latinx compared to whites during Covid-19. *J Racial Ethn Heal Disparities*. 2021;8(3):783–9 Available from: <https://link.springer.com/10.1007/s40615-021-01010-x>.
- Hoyos-Hernández PA, Concha Valderrama V, Valderrama Orbogozo LJ, Díaz Mutis JD, Tovar Cuevas JR. Adherencia a las conductas preventivas de la COVID-19 en mujeres trans colombianas. *Rev Latinoam Psicol*. 2022;53(December 2021) Available from: <http://revistalatinamerica.nadepsicologia.konradlorenz.edu.co/vol53-2021-adherencia-a-las-conductas-preventivas-de-la-covid19-en-mujeres-trans-colombianas/>.

30. Abramovich A, Pang N, Kunasekaran S, Moss A, Kiran T, Pinto AD. Examining COVID-19 vaccine uptake and attitudes among 2SLGBTQ+ youth experiencing homelessness. *BMC Public Health*. 2022;22(1):122. Available from: <https://doi.org/10.1186/s12889-022-12537-x>.
31. Melin K, Santiago Quiñones D, Rodríguez-Díaz CE. Socially distant and out of reach: unintended consequences of COVID-19 prevention efforts on transgender and gender non-binary populations in Puerto Rico. *J Subst Abuse Treat*. 2021;122(September):108209 Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0740547220304669>.
32. Eekhout I, de Vet HCW, Twisk JWR, Brand JPL, de Boer MR, Heymans MW. Missing data in a multi-item instrument were best handled by multiple imputation at the item score level. *J Clin Epidemiol*. 2014;67(3):335–42 Available from: <https://linkinghub.elsevier.com/retrieve/pii/S0895435613003879>.
33. Gale RC, Wu J, Erhardt T, Bounthavong M, Reardon CM, Damschroder LJ, et al. Comparison of rapid vs in-depth qualitative analytic methods from a process evaluation of academic detailing in the veterans Health administration. *Implement Sci*. 2019;14(1):11 Available from: <https://implementationscience.biomedcentral.com/articles/10.1186/s13012-019-0853-y>.
34. Lewinski AA, Crowley MJ, Miller C, Bosworth HB, Jackson GL, Steinhauer K, et al. Applied rapid qualitative analysis to develop a contextually appropriate intervention and increase the likelihood of uptake. *Med Care*. 2021;59(6):S242–51.
35. Cohen J. *Statistical power analysis for the behavioral sciences*. 2nd ed. Hillsdale: Lawrence Erlbaum and Associates; 1988.
36. Moore SE, Wierenga KL, Prince DM, Gillani B, Mintz LJ. Disproportionate impact of the COVID-19 pandemic on perceived social support, mental Health and somatic symptoms in sexual and gender minority populations. *J Homosex*. 2021;68(4):577–91. Available from: <https://doi.org/10.1080/00918369.2020.1868184>.
37. Garcia-Rabines D, Bencich B. Community-based resistance strategies among a Group of Trans Women in Lima, Peru during the COVID-19 pandemic. *J Homosex*. 2021;68(4):663–72. Available from: <https://doi.org/10.1080/00918369.2020.1868189>.
38. Ramos-Pibernus AG, Rodríguez-Madera SL, Padilla M, Varas-Díaz N, Vargas MR. Intersections and evolution of 'butch-trans' categories in Puerto Rico: needs and barriers of an invisible population. *Glob Public Health*. 2016;11(7–8):966–80 Available from: <http://www.tandfonline.com/doi/full/10.1080/17441692.2016.1180703>.
39. Rodríguez-Madera S, Ramos-Pibernus A, Padilla M, Varas-Díaz N. Radiography of trans communities in Puerto Rico: making visible alternative femininities and masculinities. In: Vazquez-Rivera M, Martínez-Taboas A, Francia-Martínez M, Toro-Alfonso J, editors. *LGBT 101: an introductory view*. San Juan: Puerto Rican Publications; 2015. p. 290–314.
40. Kidd JD, Jackman KB, Barucco R, Dworkin JD, Dolezal C, Navalta TV, et al. Understanding the impact of the COVID-19 pandemic on the mental Health of transgender and gender nonbinary individuals engaged in a longitudinal cohort study understanding the impact of the COVID-19 pandemic on the mental Health of transgender and gender. *J Homosex*. 2021;68(4):592–611. Available from: <https://doi.org/10.1080/00918369.2020.1868185>.
41. García C, Rivera FI, García MA, Burgos G, Aranda MP. Contextualizing the COVID-19 Era in Puerto Rico: Compounding Disasters and Parallel Pandemics. Carr DS, editor. *Journals Gerontol Ser B*. 2021;76(7):e263–e267. Available from: <https://academic.oup.com/psychsocgerontology/article/76/7/e263/5942529>.
42. Atilés J. Waves of disaster: the normalization of exceptionality and (in) security in Puerto Rico. *Lat Am Law Rev*. 2021;(7):1–19 Available from: <https://revistas.uniandes.edu.co/doi/10.29263/lar07.2021.01>.
43. Burnette D, Buckley TD, Fabelo HE, Yabar MP. Foregrounding context in the COVID-19 pandemic: learning from older adults in Puerto Rico. *J Gerontol Soc Work*. 2020;63(6–7):709–12 Available from: <https://www.tandfonline.com/doi/full/10.1080/01634372.2020.1793253>.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

