CORRECTION

Open Access



Correction: Acceptability and usability of oral fluid-based HIV self-testing among female sex workers and men who have sex with men in Morocco

Amal Ben Moussa^{1,2*}, Ouijdane Belhiba¹, Fatima Zahra Hajouji^{1,2}, Amina El Kettani³, Mohammed Youbi³, Kamal Alami⁴, Boutaina El Omari³, Lahoucine Ouarsas^{1,2} and Mehdi Karkouri^{1,2}

Correction: BMC Public Health 22, 2266 (2022) https://doi.org/10.1186/s12889-022-14632-5

The original publication of this article [1] contained 2 errors which were introduced during the publication process:

- 1. The headings of table 1 were incorrect as it listed "MSM" three times.
- 2. The last 2 lines of table 3 were missing "IC95"

The original article has been updated to correct these errors.

Author details

¹Association de Lutte Contre le Sida (ALCS), Casablanca, Morocco, ²Community-based Research Laboratory, Coalition PLUS, Pantin, France. ³Direction de l'Epidémiologie et de Lutte contre les Maladies (DELM), Rabat, Morocco. ⁴ Joint United Nations Programme on HIV and AIDS (UNAIDS), Rabat, Morocco.

Published online: 28 December 2022

The original article can be found online at https://doi.org/10.1186/s12889-022-14632-5

*Correspondence: benmoussa.alcs@gmail.com

² Community-based Research Laboratory, Coalition PLUS, Pantin, France Full list of author information is available at the end of the article



© The Author(s) 2022. Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativeco mmons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.

Reference

1. Ben Moussa A, et al. Acceptability and usability of oral fluid-based HIV self-testing among female sex workers and men who have sex with men in Morocco. BMC Public Health. 2022;22:2266. https://doi.org/10.1186/ s12889-022-14632-5.