

CORRECTION

Open Access



Correction to: Acceptability of HIV self-sampling kits (TINY vial) among people of black African ethnicity in the UK: a qualitative study

C. Dodds^{1,2*}, E. Mugweni³, G. Phillips^{2,4}, C. Park², I. Young^{2,4}, I. Fakoya³, S. Wayal³, L. McDaid², M. Sachikonye⁵, J. Chwaula⁶, P. Flowers⁷ and F. Burns³

Correction to *BMC Public Health* (2018) 18; 499

DOI: 10.1186/s12889-018-5256-5

It has been highlighted that in the original article [1] there is a typesetting mistake in the name of I. Fakoya. This was incorrectly captured as F. Fakoya. This correction article clarifies the correct name of the author.

Author details

¹London School of Hygiene and Tropical Medicine, London, UK. ²University of Glasgow, Glasgow, UK. ³University College London, London, UK. ⁴University of Edinburgh, Edinburgh, UK. ⁵UK Community Advisory Board for HIV and iBase, London, UK. ⁶BHA for Equality, Manchester, UK. ⁷Glasgow Caledonian University, Glasgow, UK.

Received: 28 June 2018 Accepted: 28 June 2018

Published online: 12 July 2018

Reference

1. Dodds C, et al. Acceptability of HIV self-sampling kits (TINY vial) among people of black African ethnicity in the UK: a qualitative study. *BMC Public Health*. 2018 April;18:499.

* Correspondence: catherine.dodds@glasgow.ac.uk

¹London School of Hygiene and Tropical Medicine, London, UK

²University of Glasgow, Glasgow, UK

Full list of author information is available at the end of the article

