RESEARCH



Health condition, income loss, food insecurity and other social inequities among migrants and refugees during the COVID-19 pandemic in Brazil



Heriederson Sávio Dias Moura^{1*}, Thaís Zamboni Berra¹, Rander Junior Rosa¹, Ruan Víctor dos Santos Silva¹, Débora de Almeida Soares^{1,2}, Juliana Soares Tenório de Araújo¹, Fernanda Bruzadelli Paulino Costa¹, Rosa Maria Pinheiro de Souza³, Murilo César do Nascimento⁴, Titilade Kehinde Ayandeyi Teibo¹, Maria Del Pilar Serrano-Gallardo⁵ and Ricardo Alexandre Arcêncio¹

Abstract

Background Brazil is the destination of many international migrants and refugees and, given the circumstances of their entry into the country, many face difficulties due to the absence of targeted policies. Thus, the objective of this study was to survey the social impact of COVID-19 on international migrants and refugees regarding income loss, food insecurity and other social inequities, and to identify explanatory factors on these aspects.

Methods This is a cross-sectional, analytical study. We used a validated instrument applied by trained interviewers. Descriptive analysis and binary logistic regression were performed to identify factors associated with income loss and food insecurity.

Results A total of 360 individuals from sub-Saharan African and South American countries participated in the study. Individuals who were white, black/brown, yellow, had an occupation/employment, and earned less than one minimum wage were more likely to lose income. Those who reported no income, received less than one minimum wage, and were diagnosed with COVID-19 were more likely to be food insecure.

Conclusions The study advances knowledge by identifying factors associated with income loss, food insecurity, and individuals' difficulty in accessing health services and social support measures in Brazil.

Keywords COVID-19, Migrant population, Pandemic, Transients and migrants

*Correspondence: Heriederson Sávio Dias Moura heriederson@gmail.com Full list of author information is available at the end of the article



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.gr/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.gr/licenses/by/4.0/.

Background

The health crisis caused by the COVID-19 pandemic provoked unprecedented impacts on society, highlighting numerous policy weaknesses in various countries in terms of social, economic, health, and other sectors. In this context, the social protection systems of some Latin American countries were the most affected, as they were overwhelmed by the number of displaced people, which grew by 400% in the last 10 years within this territory, due to international migratory movements motivated by unemployment, poverty, hunger, and other situations of social vulnerability [1].

The term International Migration is defined as "Movements of people who leave their countries of origin or habitual residence to settle, permanently or temporarily, in another country. Consequently, it implies the crossing of international borders" [2]. In 1951, the United Nations Convention defined a refugee as "any person who, owing to a well-founded fear of persecution on account of their race, religion, nationality, membership of a particular social group, or political opinion, remains outside their country of origin, and because of these fears, they cannot or will not return to their country" [3]. The migratory phenomenon is in an active process of evolution and this becomes a permanent challenge for the implementation of global actions aimed at protecting international migrants and refugees, who are in a constant situation of risk and vulnerability [4].

Previous studies point out that, despite Brazil's pioneering role in the formulation of laws and protective social measures aimed at ensuring equal rights for international migrants and refugees in its territory, the implementation of these actions have not kept pace with the dynamics of migration and the consequent worsening of social vulnerabilities that this phenomenon causes, when it occurs in a disorderly manner [1].

During the displacement process, it is common for international migrants and refugees to be subjected to stressful and even traumatic situations, since the difficulties begin when they leave their countries of origin, often leaving behind family members and loved ones, migrating under unhealthy conditions of transportation, hunger, and conditioned to pay high fees for displacement. Such situations become even more accentuated when they arrive in the countries to which they are moving, as they face difficulty in accessing basic goods and services such as food, housing, and health services [5, 6].

It is also noted that the migration processes during the pandemic brought increasing concerns regarding working conditions, as the work activities of international migrants and refugees have a high turnover and low wages [7]. In these conditions, there are difficulties in relation to income and basic human needs, such as food, since international migrants and refugees find themselves without the social protection and labor rights that come from formal employment [8].

Under these conditions, food insecurity becomes acute and affects natives as well as international migrants and refugees. By the end of 2020, about 19.1 million Brazilians were living with hunger, and by 2022, an estimated 33.1 million people did not have enough to eat or have enough food [9].

Several studies have addressed the social impact brought and exacerbated by the COVID-19 pandemic, especially on international migrant and refugee populations around the world [10-12], however, studies that have focused on this theme in the Brazilian context are still incipient.

Although the country has stood out in the discussion on inclusive policies that can mitigate the social effects of the pandemic, especially among international migrants and refugees, in practice it is not known how much this population was affected, which lacks an investigative approach with this focus.

We emphasize that in the present study, we considered food insecurity the financial difficulty that this population had to buy food during the pandemic, so that measurement scales were not used. Thus, the objective of this study was to assess the social impact of COVID-19 on international migrants and refugees in terms of income loss, food insecurity and other social inequities, and to identify explanatory factors on these aspects, providing a scope of evidence for affirmative actions, health policies and social protection.

Methods

Study design

This is a cross-sectional [13, 14], analytical study, carried out by means of field interviews conducted from May 2022 to March 2023. This study stems from a matrix survey entitled "Social Thermometer—COVID-19 in Brazil", which has as its unit of analysis the capital cities of Brazil.

Regarding its location, Brazil is located in the American Continent, specifically in South America, and is considered the fifth largest country in the world in land area, with a land area of 8,515,767 km² [15], the third largest country in the American Continent and the largest country in the South American territory, occupying almost 50% of its total area. Brazil shares borders with 10 of the 12 South American countries: Argentina, Bolivia, Colombia, French Guiana, Guyana, Paraguay, Peru, Suriname, Uruguay and Venezuela; only Chile and Ecuador do not have borders [16].

Population and samples

The matrix project had, as one of its target populations, people in situations of social vulnerability, namely: individuals living in slums, camps for internally displaced people, homeless individuals, and international migrants/ refugees. At least one of these groups was recruited in each capital of the 26 federative units and the Brazilian Federal District. For the present study, we are considering only international migrants and/or refugees.

We included those who understood the language spoken in Brazil (Brazilian Portuguese), had been residing for at least six months in the country and were 18 years of age or older. We excluded those who did not fully answer the research questionnaire.

Due to the characteristics of the studied population, not being included in official records in Brazil, especially regarding those in irregular situations and also due to confidentiality concerns, participant recruitment was carried out using a non-probabilistic technique of sequential sampling, where participants were included as they were located and agreed to participate in the study [17]. Even so, the calculation for finite populations was used, according to the following parameters: confidence level 95%, random sampling error 5%, power of the test 80%, and variance 50%, since we do not know the event, with an additional 10% referring to possible losses, conforming a minimum sample of 360 people.

Instruments and data collection

The instrument used in the study, entitled "COVID-19 Social Thermometer: Social Opinion", was adapted and validated for Brazil through the Delphi technique [18], from an instrument developed and validated by researchers at the National School of Public Health at the New University of Lisbon (ENSP/UNL) in Portugal, and published in studies to assess risk perception [19], behavioral patterns [20] and adherence to protective health measures [21].

The instrument was developed on the REDCap platform [22, 23] at the University of São Paulo (USP) Ribeirão Preto campus. REDCap is a browser-based, metadata-driven electronic data capture (EDC) software with a workflow methodology for designing clinical and observational research databases. The instrument consists of 141 fields, containing questions in checklist format, multiple choice and Likert-type scale.

For the application of the instrument, a network of contacts was created for recruitment of participants through professionals linked to research institutions, universities and civil society actors for application of the instrument. We also adopted the strategy of mobilizing participants through Social Movements (SM), due to the fact that they are exponents for the link to the territories and to the populations in situations of social vulnerability due to the interlocution created through the various key strategies developed in these locations and to these populations.

The instrument was applied by field interviewers enrolled in the survey, using cell phones and/or tablets, and the average application time was 20 to 30 min. The interviewers were also trained to apply the instrument in order to avoid measurement bias. The interviewers were instructed to consider the pandemic period as of March 11, 2020, when the World Health Organization (WHO) issued an alert for a pandemic situation caused by COVID-19 [24, 25], until the time of the interview. To start the questionnaire application, the Informed Consent Form (ICF) was read to the study participants and, only after agreement and signature, was the interview started. The ICF was structured in two copies, which were read in their entirety, by the participant and the responsible interviewer, and the application of the instrument followed only once for each person. In the cases of illiterates, fingerprints were collected, each party having one copy, and the interviewer informed the participant of the importance of keeping the document. It is worth mentioning that participation in the research was voluntary.

Statistical analysis

After consistency analysis and database standardization, initially, aiming to characterize the study participants, descriptive analyses were performed with calculation of absolute frequency (n) and relative frequency (%) measures, according to sociodemographic, clinical, and pandemic-related variables of COVID-19. Data were tabulated in Microsoft Office Excel 2010 spreadsheets, imported and analyzed using R version 4.1.1 software.

Then, in order to know the origin of the study participants, a flow map was built from the geographic coordinates (latitude and longitude) of the centroid of the country of origin and the geographic coordinates of the centroid of the destination country (Brazil), using the ArcGis 10.5 software.

Subsequently, six variables of interest were selected, namely: has occupation/employment (yes or no), has housing (yes or no), receives some type of government assistance (yes or no), uses the Unified Health System (SUS – *Sistema Único de Saúde*) (yes or no), lost income during the COVID-19 pandemic (yes or no), had or has financial difficulty in acquiring food during the COVID-19 pandemic (yes or no). The answers to these variables were dichotomized and grouped according to the Federative Units (FU) of residence of the research participant, in order to visualize in which Brazilian regions the international migrants and/or refugees presented greater situations of social vulnerability. The variables were organized in Microsoft Office Excel 2010 spreadsheets and then maps were built with the information through ArcGis 10.5 software, using the shapefile provided by Brazilian Institute of Geography and Statistics (IBGE – *Instituto Brasileiro de Geografia e Estatística.*) [26].

Finally, to identify the factors associated with the outcomes of interest, binary logistic regression was used based on the variables present in the "COVID-19 Social Thermometer: Social Opinion" instrument. For better understanding, the variables under study in this analysis were grouped into:

Independent variables

As independent variables for both outcomes of interest we considered: Gender (Male, Female, Transgender person); Race/Color (Black/Brown, White, Yellow, Indigenous, No declaration); Age (From 18 to 29 years old, 30 to 59 years old, 60 years or older); Marital Status (Single, Married or in a stable union, Divorced or legally separated, Widowed); Occupation/employment (Unemployed, Informal/secret, Self-employed, Private employee, Micro Entrepreneur, Public employee, Student, Domestic employee, Entrepreneur, Farmer Family, Others); Resides in a territory of social vulnerability (Yes, No); Housing (Shelter, Rended, Owned, Sold, Street, Other); Schooling (Secondary incomplete or complete, Elementary School incomplete or complete, College incomplete or more, No schooling); Monthly family income (No income, Less than 1 minimum wage, From 1 to 2 minimum wages, I prefer not to inform, Above 3 minimum wages, I do not know, From 2 to 3 minimum wages, No Answer); Receives some government assistance (Yes, No); Uses SUS (Yes, No); Has a Chronic illness (Yes, No, No Answer); Compared to before COVID-19, how have you been feeling most of the time? (I am more agitated, anxious or tense (Yes, No); I am more irritable (Yes, No); I am more sad, more easily discouraged or cry (Yes, No); I am more lonely (Yes, No)); and Have you had a confirmed diagnosis of COVID-19 before or after the vaccine (Yes, No).

Dependent variables

Two binary logistic regressions were performed, so that the first dependent variable considered: international migrants and/or refugees who lost income during the COVID-19 pandemic, which was dichotomized into 0 (did not lose or had no income) and 1 (lost partially or totally lost income). For the second dependent variable, we considered: migrants and/or international refugees who have or had financial difficulties in acquiring food during the COVID-19 pandemic, which was also dichotomized into 0 (had financial difficulties or never had financial difficulties in acquiring food) and 1 (did not have financial difficulties and now has or always had financial difficulties to purchase food).

Initially, an exploratory analysis was conducted to verify the presence of multicollinearity between the independent variables that were tested using the Variance Inflation Factor (VIF), and those with values greater than 10 [27] were not included in the complete model.

Modeling was carried out using the Backward method, which starts with a complete model (with all variables, with the exception of those with VIF>10) and then removes the variables one by one and checks the behavior of the model. The best model considered was the one with the lowest value of the Akaike Information Criterion (AIC) [28]. For the final model, the Odds Ratio (OR) were calculated for the statistically significant variables (*p* value <0.05) with their respective 95% Confidence Intervals (95%CI). It is noteworthy that all categories of independent variables were dichotomized (0 and 1) to be inserted in the logistic regression model, so that all categories were tested and compared with the others, without the need to choose a reference category or perform OR adjustment.

After choosing the final model based on the lowest AIC value, the Hosmer–Lemeshow, likelihood ratio, CoxSnell, Nagelkerke and McFadden tests were performed to validate the model. Furthermore, the predictive capacity and accuracy of the models were verified based on the area under the Receiver Operating Characteristic (ROC) curve with their respective 95% CI values [29]. The analyses regarding logistic regression and validation tests were performed using RStudio software, version 4.1.1.

Results

A total of 360 individuals participated in the study in Brazil, including international migrants and/or refugees. It was observed that two participants were from Sergipe, 13 from Pará, 100 from Roraima, 28 from Rio Grande do Sul, three from Mato Grosso, one from Santa Catarina, 57 from Goiás, two from Paraíba, one from Amapá, 12 from Alagoas, 31 from Amazonas, two Rio Grande do Norte, 11 from Rondônia, 14 from Acre, 29 from Maranhão, 21 from São Paulo, and five from Piauí. Most of whom were male (n=207; 57.5%), of black or brown race/color (n = 205; 56.9%), aged between 30 and 59 years (n=248; 68.9%), single (n=195; 54.2%), unemployed (n=174; 48.3%), residing in a territory of social vulnerability (n=338; 93.9%). The main housing was shelters (n=160; 44.4%). About education, most had incomplete or complete secondary school (n = 173; 48.1%), no income (n=150; 41.7%) or income less than 1 minimum wage (n = 113; 31.4%), did not receive government

assistance (n = 304; 84.4%), used SUS (n = 333; 92.5%) and had a chronic disease (n = 314; 87.2%) (Table 1).

Most participants reported having no income when the COVID-19 pandemic started (n=102; 28.3%) and that they had always had financial difficulties to buy food (n=159; 44.2%), considering self-report about the period before and during the pandemic. They reported that compared to the period before COVID-19, they did not feel more agitated, anxious, or tense (n=283; 78.6%), nor more irritable (n=310; 86.1%), nor more sad, discouraged, or crying more easily (n=296; 82.2%), or more lonely (n=310; 86.1%). Most reported no positive COVID-19 diagnosis before or after taking the vaccine (n=280; 78.0%) (Table 1).

The flow chart shows the countries of origin of the international migrants and/or refugees before they moved to Brazil (Fig. 1). It was found that most individuals had sub-Saharan African and South American countries of origin.

Among the populations in situations of social vulnerability interviewed in Brazil in this study, in Bahia, Ceará, Distrito Federal, Espírito Santo, Minas Gerais, Paraná, Pernambuco, Rio de Janeiro, Rio Grande do Sul and Tocantins, there was no record of participation of international migrants and/or refugees.

Of the FU where international migrants and/or refugees were interviewed, it was found that in the Northeast (Alagoas, Paraíba and Piauí), North (Acre and Roraima) and Midwest (Mato Grosso and Mato Grosso do Sul) there was a prevalence of unemployment (Fig. 2A). In all macro-regions there was a prevalence of people who reported having a home (Fig. 2B), not receiving government assistance (Fig. 2C), and using the SUS (Fig. 2D).

Regarding income loss during the pandemic, there was a prevalence in the Northern region (Acre, Amapá, Amazonas, Pará, and Rondônia) (Fig. 2E). As for the financial difficulty to buy food during the pandemic, prevalence was found in the Northeast region (Alagoas, Paraíba, Piauí, Rio Grande do Norte, and Sergipe) and North region (Acre, Pará, Rondônia, and Roraima) (Fig. 2F).

Using binary logistic regression, we found that people of white race/color (OR: 11.59; 95% CI: 3.65–42.94), black/brown (OR: 13.24; 95% CI: 4.76–44.23), yellow (OR: 7.03; 95% CI: 2.12–26.81), those with occupation/ employment (OR: 3.52; 95% CI: 2.05–6.13), and those earning less than one minimum wage (OR: 2.70; 95% CI: 1.45–5.17) were more likely to lose income during the COVID-19 pandemic. In contrast, people earning more than three minimum wages (OR: 0.23; 95% CI: 0.05–0.88) were less likely to experience income loss (Table 2).

To validate the model presented in Table 2, it was verified that the accuracy of the model through the area under the ROC curve showed a value of 0.78, Hosmer–Lemeshow test (p = 0.24), likelihood ratio (p = < 0.01), CoxSnell (0.23), Nagelkerke (0.30) and McFadden (0.19).

In the second logistic regression, it was identified that people of white race/color (OR: 0.15; 95% CI: 0.02–0.67), black/brown (OR: 0.18; 95% CI: 0.03–0.71), and those with occupation/employment (OR: 0.35; 95% CI: 0.15–0.78) were less likely to have had or to have faced financial difficulty purchasing food during the COVID-19 pandemic. On the other hand, people who declared having no income (OR: 4.03; 95% CI: 1.62–10.26), those who received less than one minimum wage (OR: 2.94; 95% CI: 1.46–6.06), and those who had a confirmed diagnosis of COVID-19 before or after the vaccine (OR: 2.22; 95% CI: 1.04–5.06) were more likely to have experienced financial difficulty purchasing food during the COVID-19 pandemic (Table 3).

For validation of the model presented in Table 3, it was verified that the accuracy capacity of the model through the area under the ROC Curve presented a value of 0.83, Hosmer–Lemeshow test (p=0.59), likelihood ratio (p=<0.01), CoxSnell (0.28), Nagelkerke (0.39) and McFadden (0.26).

Discussion

The study sought to survey the social impact of COVID-19 on migrants and refugees regarding income loss, food insecurity, and other social inequities, and to identify explanatory factors on these aspects. Among the origins, we observed that most of the migrants and/or refugees were from sub-Saharan Africa and South America. We also observed a high prevalence of unemployment, income loss and food insecurity, especially in the North and Northeast regions of Brazil.

The literature has highlighted the challenges related to the inclusion of international migrants and/or refugees in public policies [30] and their coverage by the Unified Health System [31]. Evidence shows that Venezuelans are 30% less likely to receive social protection and 64% less likely to be employed [32]. We observed in our results that 25.3% of international migrants and/or refugees lost income partially during the pandemic and 25.3% lost it completely. It was also found that 44.2% already had a pre-existing financial difficulty, which only worsened with the COVID-19 pandemic, demonstrating and confirming how scarce social protection is in this population even before the COVID-19 pandemic.

In the search for the reduction of social inequalities, the Sustainable Development Goals (SDGs) in Brazil include, in goal 10 [33], the task of facilitating orderly, safe, regular and responsible migration and mobility of people, including through the implementation of planned and well-managed migration policies. However,

Variables	n	%
Gender		
Male	207	57.5
Female	151	41.9
Transgender person	2	0.6
Race/Color		
Black/Brown	205	56.9
White	52	14.4
Yellow	51	14.2
Indigenous	42	11.7
No declaration	10	2.8
Age		
From 18 to 29 years old	104	28.9
30 to 59 years old	248	68.9
60 years or older	8	2.2
Marital Status		
Single	195	54.2
Married or in a stable union	147	40.8
Divorced or legally separated	13	3.6
Widowed	5	1.4
Occupation/Employment		
Unemployed	174	48.3
Informal/secret	57	15.8
Self-employed	42	11.7
Private employee	37	10.3
Micro Entrepreneur	20	5.6
Public employee	7	1.9
Student	7	1.9
Domestic employee	2	0.6
Entrepreneur	1	0.3
Farmer Family	1	0.3
Others	12	3.3
Resides in a territory of social vulnerability		
Yes	338	93.9
No	22	6.1
Housing		
Shelter	160	44.4
Rented	154	42.8
Owned	23	6.4
Sold	15	4.2
Street	7	1.9
Other	1	0.3
Schooling		
Secondary incomplete or complete	173	48.1
Elementary School incomplete or complete	92	25.6
College incomplete or more	80	22.2
No schooling	15	4.2

Table 1 Sociodemographic and clinical characteristics, loss of income, and financial difficulty in acquiring food during the COVID-19 pandemic in Brazil, 2022–2023 (*n* = 360)

Table 1 (continued)

Variables	n	%
Monthly family income		
No income	150	41.7
Less than 1 minimum wage	113	31.4
From 1 to 2 minimum wages	51	14.2
l prefer not to inform	17	4.7
Above 3 minimum wages	12	3.3
l do not know	9	2.5
From 2 to 3 minimum wages	7	1.9
NAª	1	0.3
Receives some government assistance		
Yes	56	15.6
No	304	84.4
Uses SUS		
Yes	333	92.5
No	26	7.2
NA ^a	1	0,3
Has a chronic illness		
Yes	314	87,2
No	45	12.5
NA ^a	1	0.3
Lost income during the COVID-19 pandemic		
Had no income	102	28.3
Partially lost	91	25.3
I totally lost	91	25.3
Did not lose	67	18.6
I prefer not to answer	8	2.2
NA ^a	1	0.3
Did you have or do you have financial difficulty to buy food during the panden	nic of COVID-19?	
I have always had financial difficulty	159	44.2
I had no financial difficulty and now I have	77	21.4
I never had financial difficulties	58	16.1
I had financial difficulty and no longer have any	43	11.9
l prefer not to answer	23	6.4
Compared to the period before COVID-19, how have you felt most of the time?		
l am more agitated, anxious or tense		
No	283	78.6
Yes	77	21.4
l am more irritated		
No	310	86.1
Yes	50	13.9
I am sadder, more discouraged, or cry more easily		
No	296	82.2
Yes	64	17.8
l am lonelier		
No	310	86.1
Yes	50	13.9
Had a confirmed diagnosis of COVID-19 before or after the vaccination		
No	281	78.0
Yes	79	22.0

Page 7 of 14

^a NA No Answer



Fig. 1 Flow chart of the movement of international migrants and/or refugees to Brazil, considering the reported nationality, Brazil (2022–2023)

the COVID-19 pandemic has become a challenge for the achievement of the proposed goals, since its closure of international borders to contain the disease, further amplifying the pre-existing inequalities [34].

The flow of international migrants and refugees from sub-Saharan African coast laid bare the vulnerabilities witnessed by this population, from the reduced access to employment and income caused by the need for physical isolation and the countries in South America identified in this study are a reflection of the international scenario, especially where there are crises and conflicts in African countries and the Americas, contributing to the forced migration of populations in situations of social vulnerability and rekindling the concern with food security. In this context, food insecurity emerges as a major consequence of forced international migration, and constitutes an emerging global public health problem, because concomitant with the growing population, displacement also expands the range of diseases [35].

Studies conducted in Canada, the United States of America, Australia, Lebanon, Spain, Thailand, Algeria, and Kenya have highlighted food inequity, cultural adaptation and nutrition, emerging diseases, and nutritional health promotion strategies as implications of forced migration on the food and nutrition of international migrants and refugees [36–49].

Changes in the labor market, the burden of unemployment, violence and inequalities are elements that have historically afflicted Latin American countries [50, 51]. When considering the relationship between migration and health in Brazil, it can be seen that there are challenges related to social policies for the reception and integration of international migrants and refugees considering the globalization process [52]. Thus, it is necessary to promote equity of access to health care, prevention against discrimination, expansion of public policies, training of professionals and provision of adapted services [52].

In this study, the findings identified higher levels of unemployment in the North, Northeast and Midwest regions, with the first two also having greater financial difficulty in acquiring food during the pandemic, and the North region had an even higher rate of income loss. This can be understood by the fact that Brazil is a country of continental dimensions, where the North and Northeast regions suffer from structural, economic and social problems, even before the pandemic, compared to the other regions of the country, and it is known that such problems were exacerbated during COVID-19 [53, 54].

The findings also showed that there was a prevalence in all macro-regions of people who reported not receiving government assistance. However, in Brazil, Article 4, item VIII, of the Migration Law instituted in 2017 [55], reads that social assistance is the right of all international migrants and refugees, regardless of whether their situation is regular, i.e., with a residence permit in the country, or irregular, without a residence permit. Moreover, Law no. 13.982/2020 [56], which



Fig. 2 Map of the situation of international migrants and/or refugees regarding employment, housing, government assistance, use of the Unified Health System (SUS), loss of income, and financial difficulty in acquiring food during the COVID-19 pandemic, Brazil (2022–2023)

Table 2 Association between sociodemographic variables withloss of income during the COVID-19 pandemic, Brazil (2022–2023)

Variables	P-value	ORa	95%CIb
	1-value	ON	JJ /0Cl
Aged 18 to 29	0.09	0.62	0.35-1.09
Male	0.13	0.67	0.39- 1.13
White	<0.01***	11.59	3.65-42.94
Black/Brown	< 0.01***	13.24	4.76-44.23
Yellow	< 0.01***	7.03	2.12-26.81
Have an occupation/employment	< 0.01***	3.52	2.05-6.13
Secondary incomplete or complete	0.07	1.61	0.96-2.73
Less than 1 minimum wage	< 0.01***	2.70	1.45-5.17
Above 3 minimum wages	0.04	0.23	0.05-0.88

^a OR Odds ratio

^b 95%CI = 95% Confidence Interval

**** *P*-value < 0.01

Table 3 Association of sociodemographic and clinical variables with having had or still having financial difficulty in acquiring food during the pandemic of COVID-19, Brazil (2022–2023)

Variables	P-value	OR ^a	95%Cl ^b
60 years and older	0.98	NA ^c	NA ^c
Male	0.05	0.55	0.29-1.01
White	0.02	0.15	0.02–0.67
Black/Brown	0.03	0.18	0.03-0.71
Yellow	0.09	0.23	0.03-1.09
Have an occupation/employment	0.01	0.35	0.15–0.78
Has a house	0.99	NAc	NA ^c
No schooling	0.17	5.50	0.61-124.54
No income	< 0.01	4.03	1.62–10.26
Less than 1 minimum wage	0.00	2.94	1.46-6.06
Has a chronic disease	0.07	2.60	0.98–7.91
l am more agitated, anxious or tense	0.08	0.55	0.28-1.08
Had a confirmed diagnosis of COVID- 19 before or after the vaccination	0.04	2.22	1.04–5.06

^a OR Odds ratio

^b 95%Cl 95% Confidence Interval

^c NA Not Applicable

established the exceptional measures of social protection due to the COVID-19 pandemic, stated that the concession of the benefit was a fundamental necessary right for groups in vulnerable situations to have their dignity assured, including international migrants and refugees. Despite this context, it is clear that the social protection actions instituted by the Brazilian federative entities faced problems in the execution and implementation of the Emergency Aid, directly harming vulnerable citizens [57].

Taken together, the associations identified between loss of income and financial difficulty to acquire food among the international migrants and refugees reached in this study was complemented by the higher chances of losing income and or having financial difficulty to acquire food during the pandemic in people who had no income and those who received less than one minimum wage, while those who received above three minimum wages the chances were lower. Thus, it is verified how much the migrations and the attention to people in situations of vulnerability related to previous migratory flows and also imposed by the pandemic of COVID-19 must be addressed as social determinants of health and from the perspective of critical epidemiology, because the socioeconomic inequalities of international migrants and refugees expose them to greater situations of vulnerability, illness and lower quality of life [52].

Although the economic crisis hit everyone during the pandemic with unemployment and loss of income, the populations in situations of social vulnerability were certainly the hardest hit. In this context, the results showed that the highest odds of losing income during the pandemic were independent of race/color, and that white and black/brown people were less likely to have had or to have financial difficulty in acquiring food during the pandemic.

However, it is known that black and brown people are more prone to situations of social vulnerability due to structural inequalities in Brazilian society, seen mainly by informal work bonds [58]. In addition, this population is susceptible to other risks, as pointed out in a study [59] in which the average number of deaths by COVID-19 in the five macro-regions of Brazil was higher among black people, which highlights the high degree of exposure of this population to COVID-19, an aspect that is related to several social and structural difficulties, such as the fact that approximately 40% of citizens perform informal work in Brazil [60] and do not have support from labor rights or other sources of income [61], generating a deficit in adherence to physical distancing measures due to the need to remain circulating on the streets in virtue of maintaining the income necessary for survival [62].

The results further highlighted that people who had occupation/employment were more likely to have lost income during the pandemic and were less likely to have had or to have financial difficulty acquiring food during the pandemic. A previous study emphasized that social isolation, along with insecure labor employment ties, especially for international migrants and refugees with regular documentary status, potentiated, during the pandemic, reduced access to food, worsened quality of food intake, reduced number of daily meals, and increased hunger [63].

People who had a confirmed diagnosis of COVID-19 before or after the vaccine had higher odds of having

had or having financial difficulty acquiring food during the COVID-19 pandemic. Such a finding may be associated with physical isolation as an individual and collective protection measure. In 2020, the isolation time recommended by the country's health organizations was 14 days after the onset of symptoms [64] for positive cases. This period is equivalent to almost half a month, a very expressive time when considering that people with a positive diagnosis of COVID-19 had to withdraw from work activities, suffering with the impacts on income and, consequently, on food [65].

Although Brazil is known as a happy and hospitable country, international migrants and refugees do not always encounter such a reality. Social inequality, racism, dehumanization, lack of basic rights and their social consequences are recurrent problems in Brazil [66]. Brazil is built by the homogenization of cultures and people of different nationalities, promoted from a historical process of colonization, being marked by conditions inherent to this system that introduced in society social and structural weaknesses, such as prejudice, racism, violence against indigenous peoples, conservatism and public policies failures to ensure the rights of vulnerable populations, among them international migrants and refugees.

Xenophobia can also be a determinant, which occurs in the country in different formats, whether by physical characteristics, culture, cuisine, local language, socioeconomic status, or other aspects that distinguish people [67]. The exercise of epidemiology as a field of isolated knowledge is perceived as unfeasible. It is necessary to think of combined theoretical transdisciplinarity and interculturality and health practice with a transforming character [50, 51], as proposed by critical epidemiology. For this, there is an urgent need for demands for the conformation of methods of participation/community building and health policies that account for the new challenges imposed on vulnerable populations and by contemporary society [50, 51], which are even more perverse in the post-pandemic scenarios of COVID-19.

As the main limitation of this study is the instrument used for the interviews, immigrants were not asked about the length of time they had lived in Brazil and we understand that knowing the length of stay and residence would help to better understand the context of social inequalities, income and food insecurity of this population.

We also mention the non-probabilistic sample by convenience, due to the fact that the interviews took place only in the capital cities of the Brazilian states, limiting the socially vulnerable populations of these territories. However, the approach was used in these areas due to the fact that international migrants and refugees move mainly to the large cities in search of better conditions and opportunities. We also emphasize that some Brazilian capitals were not contemplated and therefore, it is suggested that studies with other approaches aimed at understanding the health of the population of international migrants and refugees be carried out at the national level.

The results presented here, although not generalizable to the reality of all international migrants and/or refugees in Brazil, advance knowledge by contributing with an important portrait of the socio-demographic, clinical and perspectives related to financial conditions of these populations that are still invisible to the eyes of the government and public policies.

In conclusion, the findings highlight the relationship between the sociodemographic characteristics of international migrants and/or refugees with the loss of income and financial difficulty to acquire food during the pandemic. The loss of income presents a strong relation to financial difficulty to acquire food, especially among international migrants and/or refugees who experienced the territorial inequities of Brazil, such as those located in the North and Northeast regions, and those with greater conditions of social vulnerability, who had no income and who received less than a minimum wage.

The inequality underpinned by the historical relationship of oppression and hierarchies in Brazil, imposed by the divisions between social classes, raise the conditions of risk of selectivity of social and environmental protection. In this sense, it is important to highlight that the SDGs presents goals to the population of international migrants and refugees and reaffirms a look at the perspectives related to the orderly and safe conduct in the contribution to economic and social growth, through rights focused on food and social protection.

Strategies for structured actions that consider the peculiarities and socio-political perspectives of international migrants and/or refugees should be encouraged, in order to guide assertive public policies aimed at reducing vulnerabilities. Also, future studies should be based on the movement of understanding the territorial and social reality of international migrants and refugees, in order to consider the context in which they are inserted and, especially, paying attention to the post-pandemic period, where the repercussions may show different realities.

Abbreviations

COVID-19	Coronavirus Disease 2019
ENSP/UNL	National School of Public Health at the New University of Lisbon
USP	University of São Paulo
EDC	Electronic Data Capture
SM	Social Movements
WHO	World Health Organization
ICF	Informed Consent Form
FU	Federative Units
IBGE	Brazilian Institute of Geography and Statistics (Instituto Brasileiro
	de Geografia e Estatística.)

SUS	Unified Health System (Sistema Único de Saúde)
VIF	Variance Inflation Factor
AIC	Akaike Information Criterion
OR	Odds Ratio
95%CI	95% Confidence Intervals
ROC	Receiver Operating Characteristic
NA	No Answer
NA	Not applicable
SDGs	Sustainable Development Goals

Acknowledgements

Escola Nacional de Saúde Pública Sergio Arouca of the Oswaldo Cruz Foundation, Escola Nacional de Saúde Pública of the Nova Lisboa University, Luiz Otavio de Azevedo and Liana Wernersbach Pinto.

Authors' contributions

HSDM, TZB and RAA participated in the conception or design of the work, and drafting the article. HSDM, TZB, RJR, RVSS, DAS, JSTA, FBPC, RMPS, MCN, TKAT, MDPSG and RAA participated in the data collection. HSDM, TZB, RJR, FBPC, MDPSG and RAA participated in the data analysis and interpretation. HSDM, TZB, RJR, RVSS, DAS, JSTA, FBPC, RMPS, MCN, TKAT, MDPSG and RAA participated in the critical revision of the article. HSDM, TZB, RJR, RVSS, DAS, JSTA, FBPC, RMPS, MCN, TKAT, MDPSG and RAA participated in the final approval of the version to be submitted.

Funding

This work was supported by the Higher Education Personnel Improvement Coordination (CAPES): code 001; Coordination for the Improvement of Higher Education Personnel [process: 88887.657730/2021–00]; the São Paulo Research Foundation [process: 2021/08263–7]; and the National Council for Scientific and Technological Development [process: 405902/2021–2].

Availability of data and materials

The datasets used and/or analysed during the current study are available from the corresponding author on reasonable request.

Declarations

Ethics approval and consent to participate

The project was designed according to the Helsinki declaration and approved by the Ethics Committee of the School of Nursing of Ribeirão Preto (EERP) of the USP, with Opinion number: 5.512.199 (CAAE: 57933622.4.1001.5393). All literate participants and also legal guardians when illiterate (without schooling) provided informed consent to participate in the study.

Consent for publication

Not applicable.

Competing interests

The authors declare no competing interests.

Author details

¹Avenida dos Bandeirantes, University of São Paulo at Ribeirão Preto School of Nursing, São Paulo, Brazil, 3900, Monte Alegre, Ribeirão Preto, 14040-902.
²Institute of Hygiene and Tropical Medicine, New University of Lisbon, Lisbon, Portugal, Rua da Junqueira, 100, 1349-008.
³National School of Public Health Sergio Arouca, Oswaldo Cruz Foundation, Rio de Janeiro, Brazil.
⁴Federal University of Alfenas, Minas Gerais, Brazil.
⁵Autonomous University of Madrid, Madrid, Spain.

Received: 16 May 2023 Accepted: 25 August 2023 Published online: 05 September 2023

References

 Vera Espinoza M, Prieto Rosas V, Zapata GP, Gandini L, Fernández de la Reguera A, Herrera G, et al. Towards a typology of social protection for migrants and refugees in Latin America during the COVID-19 pandemic. Comp Migr Stud. 2021;9:52.

- Organização Internacional para as Migrações. Glossário sobre Migração. Genebra - Suíça: Organização Internacional para as Migrações. https://publi cations.iom.int/system/files/pdf/iml22.pdf (2009). Accessed 18 Mar 2023.
- Convenção das Nações Unidas. Alto Comissariado das Nações Unidas Para os Refugiados. A situação dos refugiados no mundo: cinquenta anos de ação humanitária. Almada, Portugal: A Triunfadora Artes Gráficas, p. 76, 2000.
- Woischnik J, editor. Fluxos migratórios e refugiados na atualidade. Rio de Janeiro, RJ: Konrad Adenauer Stiftung. https://www.kas.de/documents/ 265553/265602/7_file_storage_file_24726_5.pdf/d67cd073-d95f-40bb-1cab-4799b2f36ac4 (2017). Accessed 18 Mar 2023.
- Tavares AM, Fronteira I, Couto I, Machado D, Viveiros M, Abecasis AB, et al. HIV and tuberculosis co-infection among migrants in Europe: A systematic review on the prevalence, incidence and mortality. PLoS ONE. 2017;12:e0185526.
- 6. Boudville DA, Joshi R, Rijkers GT. Migration and tuberculosis in Europe. J Clin Tuberc Other Mycobact Dis. 2020;18:100143.
- Corral PM. Cuidados y crisis del coronavirus: el trabajo invisible que sostiene la vida. Revista Española de Sociología 2020;29.
- Schappo S. Fome e insegurança alimentar em tempos de pandemia da covid-19. SER Social. 2021;23:28–52.
- Rede Brasileira de Pesquisa em Soberania e Segurança Alimentar e Nutricional – PENSSAN. Olhe para a Fome. Inquérito Nacional sobre Insegurança Alimentar no Contexto da Pandemia da COVID-19 no Brasil. Il VIGISAN. São Paulo - SP: Fundação Friedrich Ebert. https://olheparaaf ome.com.br/ (2022). Accessed 19 Mar 2023.
- Zambrano-Barragán P, Ramírez Hernández S, Freier LF, Luzes M, Sobczyk R, Rodríguez A, et al. The impact of COVID-19 on Venezuelan migrants' access to health: A qualitative study in Colombian and Peruvian cities. J Migration Health. 2021;3:100029.
- Bojorquez-Chapela I, Strathdee SA, Garfein RS, Benson CA, Chaillon A, Ignacio C, et al. The impact of the COVID-19 pandemic among migrants in shelters in Tijuana, Baja California. Mexico BMJ Glob Health. 2022;7:e007202.
- Ginsburg C, Collinson MA, Gómez-Olivé FX, Harawa S, Pheiffer CF, White MJ. The impact of COVID-19 on a cohort of origin residents and internal migrants from South Africa's rural northeast. SSM - Population Health. 2022;17:101049.
- Rothman KJ, Greenland S, Lash TL. Modern epidemiology. 3rd ed., thoroughly rev. and updated. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins. https://www.academia.edu/37995138/Epidemiologia_ Moderna_3a_Edi%C3%A7%C3%A3o (2008). Accessed 24 Mar 2023.
- Romanowski FN de A, Castro MB de, Neris NW. Manual de Tipos de Estudo. http://repositorio.aee.edu.br/bitstream/aee/15586/1/MANUAL% 20DE%20TIPOS%20DE%20ESTUDO.pdf (2019). Accessed 24 Mar 2023.
- Instituto Brasileiro de Geografia e Estatística. IBGE | Brasil em síntese | território | dados geográficos. Brasil em Síntese. https://brasilemsintese.ibge. gov.br/territorio/dados-geograficos.html (2022). Accessed 25 Mar 2023.
- Castilho EP de. Fronteiras Terrestres Brasil. Fundação Alexandre de Gusmão - FUNAG. https://www.gov.br/funag/pt-br/ipri/arquivos-ipri/ arquivos-estatisticas/fronteiras-terrestres-brasil-13052015.pdf/view (2021). Accessed 25 Mar 2023.
- 17. Etikan I, Musa SA, Alkassim RS. Comparison of Convenience Sampling and Purposive Sampling. Am J Theor Appl Stat. 2016;5:1–4.
- Zarili TFT, Castanheira ERL, Nunes LO, Sanine PR, Carrapato JFL, Machado DF, et al. Técnica Delphi no processo de validação do Questionário de Avaliação da Atenção Básica (QualiAB) para aplicação nacional. Saude soc. 2021;30:e190505.
- Laires PA, Dias S, Gama A, Moniz M, Pedro AR, Soares P, et al. The Association Between Chronic Disease and Serious COVID-19 Outcomes and Its Influence on Risk Perception: Survey Study and Database Analysis. JMIR Public Health Surveill. 2021;7:e22794.
- Pedro AR, Gama A, Soares P, Moniz M, Laires PA, Dias S. COVID-19 Barometer: Social Opinion – What Do the Portuguese Think in This Time of COVID-19? PJP. 2020;38:42–50.
- Soares P, Rocha JV, Moniz M, Gama A, Laires PA, Pedro AR, et al. Factors Associated with COVID-19 Vaccine Hesitancy. Vaccines (Basel). 2021;9:300.
- 22. Harris PA, Taylor R, Minor BL, Elliott V, Fernandez M, O'Neal L, et al. The REDCap consortium: Building an international community of software platform partners. J Biomed Inform. 2019;95:103208.

- Harris PA, Taylor R, Thielke R, Payne J, Gonzalez N, Conde JG. Research electronic data capture (REDCap)—A metadata-driven methodology and workflow process for providing translational research informatics support. J Biomed Inform. 2009;42:377–81.
- 24. World Health Organization. OMS declara emergência de saúde pública de importância internacional por surto de novo coronavírus - OPAS/ OMS | Organização Pan-Americana da Saúde. OMS declara emergência de saúde pública de importância internacional por surto de novo coronavírus. https://www.paho.org/pt/news/30-1-2020-who-declares-publichealth-emergency-novel-coronavirus (2020). Accessed 28 Mar 2023.
- World Health Organization. OMS afirma que COVID-19 é agora caracterizada como pandemia - OPAS/OMS | Organização Pan-Americana da Saúde. OMS afirma que COVID-19 é agora caracterizada como pandemia. https://www.paho.org/pt/news/11-3-2020-who-characterizes-covid-19pandemic (2020). Accessed 28 Mar 2023.
- Instituto Brasileiro de Geografia e Estatística. Malha Municipal | IBGE. Malha Municipal | IBGE. https://www.ibge.gov.br/geociencias/organizacao-do-territorio/malhas-territoriais/15774-malhas.html (2022). Accessed 15 Mar 2023.
- 27. Zuur AF, Ieno EN, Elphick CS. A protocol for data exploration to avoid common statistical problems. Methods Ecol Evol. 2010;1:3–14.
- 28. Wagh YS, Kamalja KK. Zero-inflated models and estimation in zero-inflated Poisson distribution. Commun Stat Simul Comput. 2018;47:2248–65.
- Šimundić A-M. Measures of Diagnostic Accuracy: Basic Definitions. EJIFCC 2009;19:203–11. https://www.ncbi.nlm.nih.gov/pmc/articles/PMC49 75285/ (2009). Accessed 15 Mar 2023.
- França RA, Ramos WM, Montagner MI. Mapeamento de políticas públicas para os refugiados no Brasil. 2019;19. https://www.e-publicacoes.uerj.br/ index.php/revispsi/article/view/43008/29657. Accessed 30 Jun 2023.
- Martin D, Goldberg A, Silveira C. Imigração, refúgio e saúde: perspectivas de análise sociocultural. Saude soc. 2018;27:26–36.
- 32. Agência da ONU para Refugiados ACNUR. Políticas públicas do Brasil impulsionam inclusão de refugiados e migrantes da Venezuela, mas desafios permanecem. ACNUR Brasil. https://www.acnur.org/portugues/ 2021/05/17/politicas-publicas-do-brasil-impulsionam-inclusao-de-refug iados-e-migrantes-da-venezuela-mas-desafios-permanecem/ (2021). Accessed 27 Mar 2023.
- Nações Unidas no Brasil. Sobre o nosso trabalho para alcançar os Objetivos de Desenvolvimento Sustentável no Brasil. Objetivos de Desenvolvimento Sustentável 2022. https://brasil.un.org/pt-br/sdgs (2022). Accessed 28 Mar 2023.
- Blukacz A, Cabieses B, Mezones-Holguín E, Cardona Arias JM. Healthcare and social needs of international migrants during the COVID-19 pandemic in Latin America: analysis of the Chilean case. Glob Health Promot. 2022;29:119–28.
- Guerra JVV, Alves VH, Rachedi L, Pereira AV, Branco MBLR, dos Santos MV, et al. Forced international migration for refugee food: a scoping review. Ciênc Saúde Coletiva. 2019;24:4499–508.
- Style S, Tondeur M, Grijalva-Eternod C, Pringle J, Kassim I, Wilkinson C, et al. Assessment of the effectiveness of a small quantity lipid-based nutrient supplement on reducing anaemia and stunting in refugee populations in the Horn of Africa: Secondary data analysis. PLoS ONE. 2017;12:e0177556.
- Morseth MS, Grewal NK, Kaasa IS, Hatloy A, Barikmo I, Henjum S. Dietary diversity is related to socioeconomic status among adult Saharawi refugees living in Algeria. BMC Public Health. 2017;17:621.
- Wang Y, Min J, Harris K, Khuri J, Anderson LM. A Systematic Examination of Food Intake and Adaptation to the Food Environment by Refugees Settled in the United States. Adv Nutr. 2016;7:1066–79.
- Arroyo-Izaga M, Andía Muñoz V, Demon G. Diseño de un programa de educación nutricional destinado a mujeres saharauis residentes en los campamentos de Tinduf (Argelia). Nutr Hosp. 2016;33:25.
- Dawson-Hahn EE, Pak-Gorstein S, Hoopes AJ, Matheson J. Comparison of the Nutritional Status of Overseas Refugee Children with Low Income Children in Washington State. PLoS ONE. 2016;11:e0147854.
- Gichunge C, Somerset S, Harris N. Using a Household Food Inventory to Assess the Availability of Traditional Vegetables among Resettled African Refugees. Int J Environ Res Public Health. 2016;13:137.
- 42. McKay FH, Dunn M. Food security among asylum seekers in Melbourne. Aust N Z J Public Health. 2015;39:344–9.

- Ghattas H, Sassine AJ, Seyfert K, Nord M, Sahyoun NR. Food insecurity among Iraqi refugees living in Lebanon, 10 years after the invasion of Iraq: data from a household survey. Br J Nutr. 2014;112:70–9.
- 44. Careyva B, LaNoue M, Bangura M, de la Paz A, Gee A, Patel N, et al. The Effect of Living in the United States on Body Mass Index in Refugee Patients. J Health Care Poor Underserved. 2015;26:421–30.
- 45. Tiedje K, Wieland ML, Meiers SJ, Mohamed AA, Formea CM, Ridgeway JL, et al. A focus group study of healthy eating knowledge, practices, and barriers among adult and adolescent immigrants and refugees in the United States. Int J Behav Nutr Phys Act. 2014;11:63.
- Ghattas H, Sassine AJ, Seyfert K, Nord M, Sahyoun NR. Prevalence and Correlates of Food Insecurity among Palestinian Refugees in Lebanon: Data from a Household Survey. PLoS ONE. 2015;10:e0130724.
- Sanati Pour M, Kumble S, Hanieh S, Biggs B-A. Prevalence of dyslipidaemia and micronutrient deficiencies among newly arrived Afghan refugees in rural Australia: a cross-sectional study. BMC Public Health. 2014;14:896.
- Bhatta MP, Assad L, Shakya S. Socio-Demographic and Dietary Factors Associated with Excess Body Weight and Abdominal Obesity among Resettled Bhutanese Refugee Women in Northeast Ohio, United States. Int J Environ Res Public Health. 2014;11:6639–52.
- Vatanparast H, Nisbet C, Gushulak B. Vitamin D Insufficiency and Bone Mineral Status in a Population of Newcomer Children in Canada. Nutrients. 2013;5:1561–72.
- Souza HS, Queiróz MFF, Goulart PM. Epidemiologia crítica latino-americana em carta ao Senhor Futuro. Um outro mundo ainda é possível? Cad Saúde Pública. 2023;39:e00011323.
- Breilh J, Krieger N. Critical Epidemiology and the People's Health. New York, EUA: Oxford Academic. https://doi.org/10.1093/med/9780190492 786.001.0001 (2021). Accessed 25 Mar 2023.
- Granada D, Carreno I, Ramos N, Ramos MCP. Discutir saúde e imigração no contexto atual de intensa mobilidade humana. Interface (Botucatu). 2017;21:285–96.
- Demenech LM, Dumith S de C, Vieira MECD, Neiva-Silva L. Desigualdade econômica e risco de infecção e morte por COVID-19 no Brasil. Rev bras epidemiol. 2020;23:e200095.
- de Albuquerque MV, Ribeiro LHL. Desigualdade, situação geográfica e sentidos da ação na pandemia da COVID-19 no Brasil. Cad Saúde Pública. 2021;36:e00208720.
- Lei nº 13.445, de 24 de maio de 2017. Institui a Lei de Migração. https:// www.planalto.gov.br/ccivil_03/_ato2015-2018/2017/lei/l13445.htm (2017). Accessed 25 Mar 2023.
- Lei no 13.982, de 2 de abril de 2020. https://www.planalto.gov.br/ccivil_03/_ ato2019-2022/2020/Lei/L13982.htm#art2 (2020). Accessed 25 Mar 2023.
- Marins MT, Rodrigues MN, da Silva JML, da Silva KCM, Carvalho PL. Auxílio Emergencial em tempos de pandemia. Soc estado. 2021;36:669–92.
- Santos KOB, Fernandes RCP, Almeida MMC, Miranda SS, Mise YF, Lima MAG. Trabalho, saúde e vulnerabilidade na pandemia de COVID-19. Cad Saúde Pública. 2020;36:e00178320.
- Sthel FG, Silva LS da. A crise da pandemia da COVID-19 desnuda o racismo estrutural no Brasil. SOCONLINE 2021:11–32.
- Silveira D, Alvarenga D. Trabalho informal avança para 41,3% da população ocupada e atinge nível recorde, diz IBGE. G1. https://g1.globo.com/ economia/noticia/2019/08/30/trabalho-informal-avanca-para-413pe rcent-da-populacao-ocupada-e-atinge-nivel-recorde-diz-ibge.ghtml (2019). Accessed 27 Mar 2023.
- Silva ST da, Pulido CR, Menezes AVS de. A presença venezuelana em Manaus/AM e as estratégias de sobrevivência frente à pandemia de Covid-19. TRAVESSIA - revista do migrante 2021;2.
- Magno L, Rossi TA, de Mendonça-Lima FW, dos Santos CC, Campos GB, Marques LM, et al. Desafios e propostas para ampliação da testagem e diagnóstico para COVID-19 no Brasil. Ciênc saúde coletiva. 2020;25:3355–64.
- 63. Jaime PC. Pandemia de COVID19: implicações para (in)segurança alimentar e nutricional. Ciênc Saúde Coletiva. 2020;25:2504–2504.
- 64. Ministério da Saúde. Guia de Vigilância Epidemiológica Covid-19_ Emergência de Saúde Pública de Importância Nacional pela Doença pelo Coronavírus 2019. 1a. ed. Brasília, DF: Ministério da Saúde. https:// www.gov.br/saude/pt-br/centrais-de-conteudo/publicacoes/svsa/coron avirus/guia-de-vigilancia-epidemiologica-covid-19_2021.pdf/view (2022). Accessed 27 Mar 2023.

- Milanovic B. The Real Pandemic Danger Is Social Collapse. Foreign Affairs. https://www.foreignaffairs.com/articles/2020-03-19/real-pandemicdanger-social-collapse (2020). Accessed 24 Mar 2023.
- Weber EM. Vulnerabilidade socioeconômica de migrantes e refugiados no Brasil em meio a pandemia do Covid-19: Desafios e Soluções. TEKOA. https://revistas.unila.edu.br/tekoa/article/view/3137/3137 (2022). Accessed 24 Mar 2023.
- Batista JPS, Ribeiro J. Xenofobia: Medo e rejeição ao estrangeiro no Brasil, de Durval Muniz Albuquerque Júnior: Resenha de uma leitura comentada. Entheoria: Cadernos de Letras e Humanas ISSN 2446–6115 2021;8:179–88. https://www.journals.ufrpe.br/index.php/entheoria/artic le/view/3930 (2021). Accessed 26 Mar 2023.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

